

Crystal Reports Server Embedded 2008 with Service Pack 5 – for Windows Supported Platforms



Applies to:

Crystal Reports Server Embedded 2008 with Service Pack 5.

Summary

This document contains information specific to platforms and configurations for the Crystal Reports Server Embedded 2008 SP5 release. For the latest information on updates to this document, please visit [Business Objects Articles](#).

First Publish Date:

December 26, 2011

Updated:

July 16, 2012

NOTE: Anything that is highlighted using red font indicates that it is an update, addition or correction made after the original release of this document.

Table of Contents

Products.....	3
Languages	3
Supported Operating Systems.....	4
Central Configuration Manager Only	4
Minimum Screen Resolution.....	4
Minimum Hardware Requirements	4
Supported Application Servers	5
JDK Version Support Policy.....	5
Specific Patches Required for Oracle Application Server.....	5
Supported HTTP Servers.....	5
Supported Browsers	6
Data Source Middleware Support.....	6
Crystal Reports Server Embedded 2008 is an 32-bit native product are designed to use 32-bit data source middleware connectivity.....	6
ODBC DSN Support	6
Supported Reporting Data Sources.....	7
Generic ODBC, OLEDB and JDBC: Limitation.....	13
Other Tools	13
Microsoft Office	13
Adobe Reader	13
Microsoft .NET Framework	14
Copyright.....	15

Products

- Crystal Reports Server Embedded 2008 with Service Pack 5

Languages

- Chinese Simplified
- Chinese Traditional
- Czech
- Danish
- Dutch
- English
- Finnish
- French
- German
- Hungarian
- Italian
- Japanese
- Korean
- Norwegian
- Polish
- Portuguese (Brazil)
- Slovak
- Slovene
- Spanish
- Swedish
- Russian
- Thai

Supported Operating Systems

Central Configuration Manager Only

Operating System
Windows XP SP3 Professional
Windows Vista SP2 (1)
Windows 7 (1)
Windows 7 SP1(1)
Windows Server 2003 SP2 (1)(2)
Windows Server 2003 R2 SP2 (1)(2)
Windows Server 2008 SP2 (1)(2)
Windows Server 2008 R2 (2)
Windows Server 2008 R2 SP1 (2)

(1) 32-bit and 64-bit O/S editions supported.

(2) Data Center Edition, Enterprise Edition, Standard Edition, Web Edition

Minimum Screen Resolution

- Screen resolution of [1024] x [768] is recommended.

Minimum Hardware Requirements

- 1.8 GHz Pentium 4-class processor
- 1 GB RAM
- Hard disk space availability (without language pack):
 - 700 MB
- Hard disk space availability (with language pack):
 - 1.0 GB

Note: Crystal Reports Server Embedded 2008 is supported on 32-bit and 64-bit versions of the Windows operating system (running on either x86 or x64 CPUs made by AMD and Intel).

Supported Application Servers

Application Server	JDK
Microsoft IIS 6.0	N/A
Microsoft IIS 7.0	N/A
Microsoft IIS 7.5	N/A
JBoss 4.2.3	JDK 1.5.0_xx
Oracle Application Server 10gR3 (10.1.3)	JDK 1.5.0_xx
SAP NetWeaver 7.0	JDK 1.4.2_xx
SAP NetWeaver 7.1	JDK 1.5.0_xx
SAP NetWeaver 7.3	JDK 1.6.0_xx
Tomcat 5.5	JDK 1.5.0_xx
Tomcat 6.0.18	JDK 1.5.0_xx
Tomcat 6.0.18	JDK 1.6.0_xx
WebLogic 10	JDK 1.5.0_xx JRockit 5.0+
WebLogic 10.3	JDK 1.6.0_xx JRockit 6.0+
WebLogic 10.3.3	JDK 1.6.0_xx JRockit 6.0+
WebSphere Application Server 6.1.0.7	JDK 1.5.0_xx
WebSphere Application Server 7	JDK 1.6.0_xx
WebSphere Application Server Community Edition 2.0	JDK 1.5.0_xx

Note: Native 64-bit Java Application Servers are supported.

JDK Version Support Policy

JDK major versions are specified to ensure the use of correct version when there are multiple choices provided by the vendor. Business Objects tests and supports any _xx release installed with a given application server.

Specific Patches Required for Oracle Application Server

See release notes for exact patch level support.

Supported HTTP Servers

Any supported by Application Server vendor.

Supported Browsers

Browser OS	Browser	JVM
Microsoft Windows	IE 6.0 SP3	Sun 1.5.0_xx Sun 1.6.0_02+
	IE 7.0	Sun 1.5.0_xx Sun 1.6.0_02+
	IE 8.0	Sun 1.5.0_xx Sun 1.6.0_02+
	IE 9.0	Sun 1.5.0_xx Sun 1.6.0_xx
	Firefox 3.6	Sun 1.5.0_xx Sun 1.6.0_02+
	Firefox 8	Sun 1.5.0_xx Sun 1.6.0_02+
Apple Mac OS X	Safari 5	Apple 1.5.0_xx Apple 1.6.0_xx

Data Source Middleware Support

Crystal Reports Server Embedded 2008 is an 32-bit native product are designed to use 32-bit data source middleware connectivity.

ODBC DSN Support

BusinessObjects products use the 32-bit ODBC registry on all versions of Windows. To administer 32-bit ODBC DSNs on 64-bit versions of Windows, run the 32-bit ODBC Administrator, located here:

C:\Windows\SysWOW64\odbcad32.exe

Supported Reporting Data Sources

Provider Name	Data Connector
OLAP	
Hyperion Essbase Server 7.1.x	Hyperion Essbase API 7.1.x
Hyperion System 9	Hyperion Essbase client 9.0
	Hyperion Essbase client 9.2
	Hyperion Essbase client 9.3
	Hyperion Essbase client 11
Microsoft SQL Server Analysis Services 2000 SP4	Microsoft SQL Server OLAP Client 2000 SP4
Microsoft SQL Server Analysis Services 2005 SP1 ⁵	Microsoft SQL Server OLAP Client 2005 SP1
Microsoft SQL Server Analysis Services 2005 SP2 ⁵	Microsoft SQL Server OLAP Client 2005 SP2
Microsoft SQL Server Analysis Services 2008 ⁶	Microsoft SQL Server 2008 Analysis Services 10.0 OLE DB Provider
RDBMS	
Generic JDBC Sources	Java 1.5
Generic ODBC Sources	ODBC
Generic OLEDB Sources	OLEDB
GreenPlum Database 3.2	PostgreSQL ODBC 8.2
	PostgreSQL JDBC 8.2
HP Neoview 2.3.1	HP Neoview ODBC 2.3.1
HP Neoview 2.3.3	HP Neoview ODBC 2.3.1

HP Neoview 2.4	HP Neoview ODBC Driver 2.4
IBM DB2/UDB for iSeries 5.4	DB2 JDBC Universal Driver
	DB2 Connect 9.1
	IBM iSeries Access (ODBC) 5.4
	DataDirect ODBC 5.3 ¹
IBM DB2/UDB for NT/Unix 9.1 ⁴	DB2 Client 9.1
	IBM JDBC Universal Driver
	DB2 OLEDB 9.1
	DataDirect ODBC 5.3 ¹
IBM DB2/UDB for NT/Unix/Linux 9.5	DB2 Client 9.5
	DB2 JDBC Universal Driver
	DB2 OLEDB 9.5
	DataDirect ODBC 5.3 ¹
IBM DB2/UDB for NT/Unix/Linux 9.7	DB2 Client 9.7
	DB2 JDBC Universal Driver
IBM DB2/UDB for NT/Unix/Linux 9.8	DB2 Client 9.5
	DB2 JDBC Universal Driver
IBM DB2/UDB for NT/Unix/Linux 10.1	DB2 Client 9.7
	DB2 JDBC Universal Driver
IBM DB2/UDB for zSeries 8	DB2 Connect 8.2
	DB2 universal JDBC Driver
	DataDirect ODBC 5.3 ¹
IBM DB2/UDB for zSeries 9.1	DB2 Connect 9.1
IBM DB2/UDB for zSeries 10	DB2 Connect 9.1
IBM Informix Dynamic Server 11.5	IBM Informix ODBC SDK 3.50
	IDS Client 11.5
Ingres 2006	Ingres ODBC 3.5

Microsoft Access 2003	DAO 3.6
	Microsoft ODBC MDAC 2.8
	Microsoft OLEDB MDAC 2.8
Microsoft Access 2007 (.accdb)	2007 Office System Driver: ODBC
	2007 Office System Driver: OLEDB
Microsoft Access 2010 (.accdb)	2010 Office System Driver: ODBC
	2010 Office System Driver: OLEDB
Microsoft SQL Server 2000 SP4	Microsoft ODBC MDAC 2.8
	Microsoft OLEDB MDAC 2.8
	SQL Server 2000 JDBC Driver
	DataDirect ODBC 5.3 ¹
Microsoft SQL Server 2005 SP1/SP2/SP3	Microsoft ODBC MDAC 2.8
	Microsoft OLEDB MDAC 2.8
	Microsoft ODBC SNAC (Native Client)
	Microsoft OLEDB SNAC (Native Client)
	SQL Server 2005 JDBC Driver
	DataDirect ODBC 5.3 ¹
Microsoft SQL Server 2008 ⁶	JDBC SQL Server 2008
	Microsoft ODBC MDAC 2.8
	Microsoft ODBC SNAC (Native Client)
	Microsoft OLEDB MDAC 2.8
	Microsoft OLEDB SNAC (Native Client)
MySQL AB 5.1	MySQL Connector/ODBC 5.1
	MySQL Connector/J (JDBC) 5.1
NCR Teradata V2R6.2	NCR Teradata ODBC 3.06 (TTU 8.2)
	NCR Teradata JDBC 3.04 (TTU 8.2)

Teradata 12.0	Teradata ODBC TTU 12.00.00.10
	Teradata JDBC TTU 12.00.00.10
Teradata 13.0	Teradata ODBC TTU 13.00.00.02
	Teradata JDBC TTU 13.00.00.07
Teradata 13.1	Teradata ODBC TTU 13.1
	Teradata JDBC TTU 13.1
Netezza NPS Server 4.0	Netezza ODBC 4.01
	Netezza JDBC Access
Netezza NPS Server 4.5	Netezza ODBC 4.5
	Netezza JDBC 4.5
Netezza Server 5.0	Netezza ODBC 5.0
	Netezza JDBC 5.0
Netezza Server 6.0	Netezza ODBC 5.0
	Netezza JDBC 5.0
Oracle 10g R2(10.2)	Oracle Native Client 10.2
	JDBC Oracle 10.2
	ODBC Oracle 10.2
	OLEDB Oracle 10.2
	DataDirect ODBC 5.3 ¹
Oracle 11g R1 (11.1) ²	JDBC Oracle 11G R1
	ODBC Oracle 11G R1
	OLEDB Oracle 11G R1
	Oracle Native Client 11G R1
Oracle 11g R1 (11.2) ²	JDBC Oracle 11G R2
	ODBC Oracle 11G R2

	OLEDB Oracle 11G R2
	Oracle Native Client 11G R2
Progress OpenEdge 10.1B	OpenEdge 10.1B ODBC
	OpenEdge 10.1B JDBC
PostgreSQL 8.2	PostgreSQL 8.2 ODBC
	PostgreSQL 8.2 JDBC
Sybase ASE 15	Sybase Open Client 15
Sybase ASE 15.5	Sybase Open Client 15.5
Sybase ASE 15.7	Sybase Open Client 15.7
Sybase IQ 15.1	Sybase ODBC for IQ 15.1
Sybase IQ 15.2	Sybase ODBC for IQ 15.2
Sybase IQ 15.3	Sybase ODBC for IQ 15.3
Sybase IQ 15.4	Sybase ODBC for IQ 15.4
Sybase SQL Anywhere 12.0.1	SQL Anywhere ODBC Driver 12.0.1
SAP HANA 1.0 SP02	HANA ODBC 1.0
	HANA JDBC 1.0
SAP HANA 1.0 SP03	HANA ODBC 1.0
	HANA JDBC 1.0
Technology	
ADO .NET	Microsoft .NET Framework 1.0
	Microsoft .NET Framework 1.1
	Microsoft .NET Framework 2.0

COM	N/A
Microsoft Exchange 2000	Crystal Reports Outlook/Exchange driver
Microsoft Exchange 2003	Crystal Reports Outlook/Exchange driver
Microsoft Exchange 2007	Crystal Reports Outlook/Exchange driver
Microsoft Exchange 2010	Crystal Reports Outlook/Exchange driver
Microsoft Excel 2000	DAO 3.6
	ODBC
	OLEDB
Microsoft Excel 2003	DAO 3.6
	ODBC
	OLEDB
Microsoft Excel 2007 ¹	ODBC
	OLEDB
Microsoft Excel 2010 ¹	ODBC
	OLEDB
Field Definitions	N/A
Java Bean	JDK 1.5
Salesforce.com	Crystal Reports Salesforce.com driver
XML	Crystal Reports XML and Web Services driver
Web Service	Crystal Reports XML and Web Services driver

(1) DataDirect drivers for Crystal Reports are available from Business Objects. See the Crystal Reports Start Page for download details.

(2) Oracle Real Application Cluster (RAC) is supported

(3) Data connectivity is assumed to be single-threaded. Customers are recommended not to use these drivers in concurrent on-demand scenarios since reports will be handled serially.

(4) IBM DB2 v9.1 requires a minimum of Windows 2003 SP1 to be the Operating System for Windows deployments.

(5) The minimum version level for MS SQL Server Analysis Services 2005 is SP1. The 2005 RTM version is not supported.

(6) Supported with Microsoft SQL Server 2008 Release Candidate 0 (RC0)

Generic ODBC, OLEDB and JDBC: Limitation

Database server, Client and ODBC/JDBC/OLEDB driver used must support multiple threads.

Generic JDBC: 3rd Party JDBC Type 4-compliant drivers may potentially have issues as not all combinations have been tested, but are supported for *relational database access* as a general rule.

Generic ODBC: 3rd Party ODBC Level 2-compliant Drivers may potentially have issues as not all combinations have been tested yet, but are supported as a general rule.

Other Tools

Microsoft Office

- Microsoft Office 2010
- Microsoft Office 2007 SP1
- Microsoft Office 2003 SP2
- Microsoft Office XP SP3
- Microsoft Office XP SP2

Adobe Reader

- Adobe Reader 8
- Acrobat Reader 9
- Acrobat Reader 9.1.x - 9.2.x
- Acrobat Reader 9.3
- Acrobat Reader X (10.0)

Microsoft .NET Framework

- .NET 1.1
- .NET 2.0
- .NET 3.0
- .NET 3.5

Copyright

© Copyright 2012 SAP AG. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP AG. The information contained herein may be changed without prior notice.

Some software products marketed by SAP AG and its distributors contain proprietary software components of other software vendors.

Microsoft, Windows, Excel, Outlook, and PowerPoint are registered trademarks of Microsoft Corporation.

IBM, DB2, DB2 Universal Database, System i, System i5, System p, System p5, System x, System z, System z10, System z9, z10, z9, iSeries, pSeries, xSeries, zSeries, eServer, z/VM, z/OS, i5/OS, S/390, OS/390, OS/400, AS/400, S/390 Parallel Enterprise Server, PowerVM, Power Architecture, POWER6+, POWER6, POWER5+, POWER5, POWER, OpenPower, PowerPC, BatchPipes, BladeCenter, System Storage, GPFS, HACMP, RETAIN, DB2 Connect, RACF, Redbooks, OS/2, Parallel Sysplex, MVS/ESA, AIX, Intelligent Miner, WebSphere, Netfinity, Tivoli and Informix are trademarks or registered trademarks of IBM Corporation.

Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.

Adobe, the Adobe logo, Acrobat, PostScript, and Reader are either trademarks or registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Oracle is a registered trademark of Oracle Corporation.

UNIX, X/Open, OSF/1, and Motif are registered trademarks of the Open Group.

Citrix, ICA, Program Neighborhood, MetaFrame, WinFrame, VideoFrame, and MultiWin are trademarks or registered trademarks of Citrix Systems, Inc.

HTML, XML, XHTML and W3C are trademarks or registered trademarks of W3C®, World Wide Web Consortium, Massachusetts Institute of Technology.

Java is a registered trademark of Sun Microsystems, Inc.

JavaScript is a registered trademark of Sun Microsystems, Inc., used under license for technology invented and implemented by Netscape.

SAP, R/3, SAP NetWeaver, Duet, PartnerEdge, ByDesign, SAP Business ByDesign, and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and other countries.

Business Objects and the Business Objects logo, BusinessObjects, Crystal Reports, Crystal Decisions, Web Intelligence, Xcelsius, and other Business Objects products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Business Objects S.A. in the United States and in other countries. Business Objects is an SAP company.

All other product and service names mentioned are the trademarks of their respective companies. Data contained in this document serves informational purposes only. National product specifications may vary.

These materials are subject to change without notice. These materials are provided by SAP AG and its affiliated companies ("SAP Group") for informational purposes only, without representation or warranty of any kind, and SAP Group shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.