

BusinessObjects Enterprise XI 3.1 for HP-UX(IA-64) – Supported Platforms



Applies to:

BusinessObjects Enterprise XI 3.1 for HP-UX (IA-64).

Summary

This document contains information specific to platforms and configurations for the BusinessObjects Enterprise XI 3.1 release. For the latest information on updates to this document, please visit [Business Objects Articles](#).

NOTE: Anything that is highlighted using red font indicates that it is an update, addition or correction made after the original release of this document.

Table of Contents

Products	3
Desktop	3
Server	3
Languages	3
Supported Operating Systems	4
Minimum Hardware Requirements for BusinessObjects Enterprise XI 3.1	4
Minimum Patch Level for BusinessObjects Enterprise XI 3.1	4
Supported Locales	4
Supported Application Servers	5
Application Server Incremental Release Support Policy	6
JDK Version Support Policy	6
HTTP Servers	6
Supported Browsers	6
SVG and Flash support for Dashboard and Analytics	6
Data Source Middleware Support	6
CMS (Repository) & Audit Data Sources	6
Dashboard and Analytics Repository Data Sources	7
Web Intelligence, Dashboard and Analytics Data Sources	7
Crystal Reports Reporting Data Sources	8
OLAP Connectivity for Voyager	9
Support for SAP Application Servers	9
LDAP Directory	9
File Transfer Protocol (FTP) Requirements	10
Copyright	11

Products

Desktop

Desktop products are available on Windows only. Please go to the [supported platforms](#) web site and refer to the platforms document corresponding to this operating system for a detailed list of the supported languages and platforms.

Note: BusinessObjects Desktop Intelligence is not supported on BusinessObjects Enterprise XI 3.1 deployed on HP-UX (IA-64).

Server

- BusinessObjects™ Enterprise XI
- BusinessObjects™ Web Intelligence XI
- Crystal Reports® 2008 (server components)
- Dashboard Builder
- Encyclopedia

Languages

- Chinese Simplified
- Chinese Traditional
- Dutch
- Danish
- English
- French
- German
- Italian
- Japanese
- Korean
- Norwegian
- Polish
- Portuguese (Brazil)
- Spanish
- Swedish
- Russian
- Thai

Supported Operating Systems

- HP-UX 11.23 (IA-64)
- **HP-UX 11.31 (IA-64) (1)**

(1) Please see SAP [Note 1288166](#)

Minimum Hardware Requirements for BusinessObjects Enterprise XI 3.1

- 2 GB RAM
- 7 GB hard drive for BusinessObjects Enterprise complete install

Note 1: Additional languages can be installed in BusinessObjects Enterprise via Language Pack Install. On average, an additional 0.3 GB hard disk space is required per language install.

Minimum Patch Level for BusinessObjects Enterprise XI 3.1

Required minimum operating system install for HP-UX 11.23 IA-64 plus:

- HPUX11i-OE_B.11.23.0706 (HP-UX Foundation Operating Environment Component)
- **PHSS_35966**
- PHSS_37201
- PHCO_37228
- PHCO_37543

Required minimum operating system install for HP-UX 11.31 IA-64:

- **HP-UX BOE (Base Operating Environment) from March 2008**

Higher patches beyond the specified minimum patch requirement may be used, but they may not be officially tested by BusinessObjects products.

Supported Locales

Language	Locales
English	en_US.utf8
French	fr_FR.utf8
Japanese	ja_JP.utf8
Simplified Chinese	zh_CN.utf8

Language	Locales
German	de_DE.utf8
Italian	it_IT.utf8
Spanish	es_ES.utf8
Dutch	nl_NL.utf8
Korean	ko_KR.utf8
Traditional Chinese	zh_HK.utf8
	zh_TW.utf8
Swedish	sv_SE.utf8
Portuguese	pt_BR.utf8
Danish	da_DK.utf8
Norwegian	no_NO.utf8
Polish	pl_PL.utf8
Russian	ru_RU.utf8
Thai	No locale

Please consult your UNIX distribution locale documentation on how to install these on your operating system.

Supported Application Servers

Application Servers	JDK
JBoss 4.0.4	HP JDK 5.0.xx
SAP Web Application Server 7 (1)	HP JDK 1.4.2_xx
Tomcat 5.5	HP JDK 5.0.xx
WebLogic 9.2 MP2	HP JDK 5.0.xx
WebLogic 10	HP JDK 5.0.xx
WebSphere Application Server 6.1.0.7	HP JDK 5.0.xx

(1) Not supported for Web Services.

Note: Native 64-bit Java Application Servers are supported.

Application Server Incremental Release Support Policy

Specified application servers versions have been successfully tested by Business Objects. Incremental releases of the specified versions defined by the last number in the application server name will be supported as they are made available, but may not have been tested by Business Objects. Exceptions in support will be documented.

JDK Version Support Policy

JDK major versions are specified to ensure the use of correct version when there are multiple choices provided by the vendor. Business Objects tests and supports any _xx release installed with a given application server.

HTTP Servers

Any supported by Application Server vendor.

Supported Browsers

Browser OS	Browser	JVM
Microsoft Windows	IE 6.0 SP2	Sun 1.5.0_xx Sun 1.6.0_02+
	IE 7.0	Sun 1.5.0_xx Sun 1.6.0_02+

SVG and Flash support for Dashboard and Analytics

- SVG version 3.0.3 and above supported for Internet Explorer.
- Flash version 7 and above supported for Internet.

Data Source Middleware Support

BusinessObjects Enterprise Suite products that are compiled as 64-bit native binary are designed to use 64-bit data source middleware connectivity. Unless otherwise specified in the PAR, 32-bit middleware connectivity is not supported. Conversely, native 32-bit offerings of BusinessObjects Enterprise Suite products are designed to exclusively use 32-bit data source middleware connectivity.

CMS (Repository) & Audit Data Sources

Provider Name	Data Connector
IBM DB2/UDB for NT/Unix/Linux 9.1	DB2 Client 9.1
	IBM JDBC Universal Driver (1)
IBM DB2/UDB for NT/Unix/Linux 9.5	DB2 Client 9.5
MySQL AB 5.0	MySQL C-API

Provider Name	Data Connector
Oracle 10g R1 (10.1)	Oracle Net Client 10g R1 (10.1.0.2) (1)
Oracle 10g R2 (10.2)	Oracle Net Client 10g R2 (10.2..0.1) (1)

(1) Oracle Real Application Cluster is supported.

Dashboard and Analytics Repository Data Sources

Provider Name	Data Connector
Oracle 10g R1 (10.1)	Oracle Net Client 10g R1 (10.1.0.2) (1)
Oracle 10g R2 (10.2)	Oracle Net Client 10g R2 (10.2..0.1) (1)

(1) Oracle Real Application Cluster is supported.

Web Intelligence, Dashboard and Analytics Data Sources

Provider Name	Data Connector	Unicode Support
RDBMS		
HP Neoview 2.2	HP Neoview ODBC driver 2.2	
HP Neoview 2.3.1	HP Neoview ODBC driver 2.3.1	
IBM DB2/UDB for NT/Unix/Linux 9.1	DB2 Client 9.1	Yes
	DB2 Universal JDBC Driver (1)	Yes
IBM DB2/UDB for NT/Unix/Linux 9.5	DB2 Client 9.5	Yes
	DB2 Universal JDBC Driver (1)	Yes
MySQL AB 5.0	MySQL AB ODBC 5.0	Yes
	MySQL AB JDBC 5.0 (2)	
Oracle 10g R1 (10.1)	Oracle Net Client 10g R1 (10.1.0.2) (1)	Yes
	Oracle ODBC 10g R1 (10.1.0.2) (1) (2)	Yes

Provider Name	Data Connector	Unicode Support
Oracle 10g R2 (10.2)	Oracle Net Client 10g R2 (10.2.0.1) (1)	Yes
	Oracle JDBC 10g R2 (10.2.0.1) (1) (2)	Yes

(1) Oracle Real Application Cluster (RAC) is supported.

(2) Not Supported for PMC Classic.

Crystal Reports Reporting Data Sources

Provider Name	Data Connector	Unicode Support
RDBMS		
HP Neoview 2.2	HP Neoview ODBC driver 2.2	
HP Neoview 2.3.1	HP Neoview ODBC driver 2.3.1	
IBM DB2/UDB for NT/Unix/Linux 9.1	DB2 Client 9.1	Yes
	DB2 Universal JDBC Driver	Yes
IBM DB2/UDB for NT/Unix/Linux 9.5	DB2 Client 9.5	Yes
MySQL AB 5.0	MySQL AB ODBC 3.51	
	MySQL AB JDBC 5.0	
Oracle 10g R1 (10.1)	Oracle Net Client 10g R1 (10.1.0.2) (1)	Yes
	Oracle ODBC 10g R1 (10.1.0.2) (1)	Yes
	Oracle JDBC 10g R1 (10.1.0.2) (1)	Yes
Oracle 10g R2 (10.2)	Oracle Net Client 10g R2 (10.2.0.1) (1)	Yes
	Oracle ODBC 10g R2 (10.2.0.1) (1)	Yes
	Oracle JDBC 10g R2 (10.2.0.1) (1)	Yes
Progress OpenEdge 10.0B	OpenEdge SQL 10.0B JDBC	Yes
Technology		

Provider Name	Data Connector	Unicode Support
Java Bean	JDK 1.5	Yes
XML	JDK 1.5	Yes

(1) Oracle Real Application Cluster (RAC) is supported.

OLAP Connectivity for Voyager

No platforms are supported.

Support for SAP Application Servers

BusinessObjects XI Integration for SAP Solutions must be installed in order to use an SAP application server as a data source. For the latest information on SAP platforms required by BusinessObjects XI Integration for SAP Solutions, please visit the [support area](#) of the website.

The following list of products is applicable to SAP application server support:

- Crystal Reports (OLAP and Relational)
- Live Office (OLAP and Relational)
- Web Intelligence (OLAP)
- QaaWS (OLAP)

LDAP Directory

- IBM Tivoli Directory Server 5.2
- IBM Tivoli Directory Server 6.0
- IBM Tivoli Directory Server 6.1
- Lotus Domino Directory 6.0.2
- Lotus Domino Directory 6.5.3
- Microsoft Active Directory Application Mode 2003 (ADAM)
- Microsoft Active Directory Application Mode 2003 (ADAM) SP1
- Microsoft Active Directory Application Mode 2008 (ADAM)
- Novell eDirectory 8.7.3
- Novell eDirectory 8.8
- Oracle Internet Directory 10gR3 (10.1.3)
- Sun Java System Directory Server 5.2
- Sun Java System Directory Server Enterprise 6.0

File Transfer Protocol (FTP) Requirements

The following are the guidelines that must be supported by any FTP Server being used in conjunction with BusinessObjects Enterprise as a scheduling destination.

- FTP server needs to support using “.” as a directory
- FTP server needs to support specifying a directory with a trailing “/”
- FTP server needs to support filenames that are 20+ characters (if destination file names are generated randomly by BusinessObjects Enterprise).
- FTP server needs to support specifying file names starting with a “~” character (if destination file names are generated randomly by BusinessObjects Enterprise).

Copyright

© 2008 SAP AG. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP AG. The information contained herein may be changed without prior notice.

Some software products marketed by SAP AG and its distributors contain proprietary software components of other software vendors.

Microsoft, Windows, Outlook, and PowerPoint are registered trademarks of Microsoft Corporation.

IBM, DB2, DB2 Universal Database, OS/2, Parallel Sysplex, MVS/ESA, AIX, S/390, AS/400, OS/390, OS/400, iSeries, pSeries, xSeries, zSeries, System i, System i5, System p, System p5, System x, System z, System z9, z/OS, AFP, Intelligent Miner, WebSphere, Netfinity, Tivoli, Informix, i5/OS, POWER, POWER5, POWER5+, OpenPower and PowerPC are trademarks or registered trademarks of IBM Corporation.

Adobe, the Adobe logo, Acrobat, PostScript, and Reader are either trademarks or registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Oracle is a registered trademark of Oracle Corporation.

UNIX, X/Open, OSF/1, and Motif are registered trademarks of the Open Group.

Citrix, ICA, Program Neighborhood, MetaFrame, WinFrame, VideoFrame, and MultiWin are trademarks or registered trademarks of Citrix Systems, Inc.

HTML, XML, XHTML and W3C are trademarks or registered trademarks of W3C®, World Wide Web Consortium, Massachusetts Institute of Technology.

Java is a registered trademark of Sun Microsystems, Inc.

JavaScript is a registered trademark of Sun Microsystems, Inc., used under license for technology invented and implemented by Netscape.

MaxDB is a trademark of MySQL AB, Sweden.

SAP, R/3, mySAP, mySAP.com, xApps, xApp, SAP NetWeaver, and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and in several other countries all over the world. All other product and service names mentioned are the trademarks of their respective companies. Data contained in this document serves informational purposes only. National product specifications may vary.

These materials are subject to change without notice. These materials are provided by SAP AG and its affiliated companies ("SAP Group") for informational purposes only, without representation or warranty of any kind, and SAP Group shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

These materials are provided "as is" without a warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose, or non-infringement.

SAP shall not be liable for damages of any kind including without limitation direct, special, indirect, or consequential damages that may result from the use of these materials.

SAP does not warrant the accuracy or completeness of the information, text, graphics, links or other items contained within these materials. SAP has no control over the information that you may access through the use of hot links contained in these materials and does not endorse your use of third party web pages nor provide any warranty whatsoever relating to third party web pages.

Any software coding and/or code lines/strings ("Code") included in this documentation are only examples and are not intended to be used in a productive system environment. The Code is only intended better explain and visualize the syntax and phrasing rules of certain coding. SAP does not warrant the correctness and completeness of the Code given herein, and SAP shall not be liable for errors or damages caused by the usage of the Code, except if such damages were caused by SAP intentionally or grossly negligent.