

# ESS- Performance Management System Configuration on Portal for ECC 6 EhP4



## Applies to:

SAP EP 7.01 SP8, SAP-ESS 603 SP7, ECC 6, SAP HR 604 SP 26. For more information, visit the [Portal and Collaboration homepage](#).

## Summary

This document describes the portal side configuration required for using Performance management system delivered with SAP HR 604 (enhancement pack 4 for SAP HR). This includes the configuration of Web Dynpro ABAP applications, System Configuration on portal, OBN configuration and SICF configurations.

**Author:** Deepak Tiwari

**Company:** IBM India

**Created on:** 12 February 2011

## Author Bio



Deepak Tiwari is working with IBM as a Technology consultant for SAP Enterprise Portal. He has experience working on Web Dynpro Java, EP, CAF/GP, KM & C, Adobe Interactive Forms, PDK (Portal Development Kit) and Portal Administration.

## Table of Contents

Introduction .....	3
Prerequisites .....	3
Components:.....	3
Single Sign On: .....	3
Portal configurations: .....	4
Step 1: Portal configurations .....	4
Step 2: OBN configurations .....	5
Step 3: System Creation .....	7
ITS Property:.....	7
Connector property:.....	8
System Type: .....	8
User Mapping and WAS :.....	8
System Alias: .....	8
Backend Configurations:.....	9
Step 1: V_T7XSSSERRES .....	9
Step 2: LPD_CUST .....	11
Step 3: SICF.....	12
Related Content.....	14
Disclaimer and Liability Notice.....	15

## Introduction

This document describes the portal side configuration required for using Performance management system delivered with SAP HR 604. With enhancement pack 4 for SAP HR SAP has delivered Web Dynpro ABAP application for appraisals instead of old BSP application.

This document covers following topics:

- Infrastructure requirements
- configuration of Web Dynpro ABAP applications,
- System Creation on portal,
- OBN configuration ,
- SICF service activations
- UWL configurations on portal and Task configuration in transaction SWFVISU.

## Prerequisites

Following are the prerequisites to successfully configure the SAP HR EHP4 with ESS on enterprise portal.

### Components:

Following components should be available:

- ECC6.
- SAP HR SP 26 or higher.
- SAP EP 7.01 SP 8 or higher
- SAP ESS 603 SP7 or higher
- SAP MSS 600 SP18 or higher

Refer to below link for version compatibility matrix :

<http://wiki.sdn.sap.com/wiki/display/ERPHCM/HOW+TO+GET+RID+OF+SP+STACK+MISMATCH+ISSUES>

### Single Sign On:

SSO (Single Sign On) should be configured between EP and ECC system using logon ticket.

Refer to below link for configuring ABAP system to accept logon ticket from EP.

[http://help.sap.com/saphelp\\_nw04s/helpdata/en/61/42897de269cf44b35f9395978cc9cb/frameset.htm](http://help.sap.com/saphelp_nw04s/helpdata/en/61/42897de269cf44b35f9395978cc9cb/frameset.htm)

## Portal configurations:

### Step 1: Portal configurations

Add the page:

`portal_content/com.sap.pct/every_user/com.sap.pct.erp.ess.bp_folder/  
com.sap.pct.erp.ess.14.bp_folder/com.sap.pct.erp.ess.14.pages/  
com.sap.pct.erp.ess.14.career_job/com.sap.pct.erp.ess.appraisal_document_wd_ui`

to the ESS role:

`portal_content/com.sap.pct/every_user/com.sap.pct.erp.ess.bp_folder/  
com.sap.pct.erp.ess.roles/com.sap.pct.erp.ess.employee_self_service`


under the Workset

**Career and Job**


The screenshot shows the SAP Fiori Launchpad interface. On the left, the 'Browse' view lists various worksets and pages. Under 'Career and Job', the 'Appraisal Documents (WD UI)' page is selected. On the right, the 'Employee Self-Se...' overview shows a list of available pages. The 'Appraisal Documents (WD UI)' page is listed twice: once under the main list and once under the 'Career and Job' section. Other visible pages include 'Data Overview', 'Direct Service', 'Job Favorites', 'Personal Settings', 'Profile Service', 'Profile\_Release', 'Search Jobs', 'Skills Profile and Profile Matchup', 'Talent Profile', and 'Travel and Expenses'. At the bottom, there are sections for 'Quick Info' (ID: pcd:portal\_content/com.sap.pct.erp.ess.14.pages/com.sap.pct.erp.ess.14.career\_job/com.sap.pct.erp.ess.appraisal\_document\_wd\_ui) and 'Description'.

## Step 2: OBN configurations

Open the page "Appraisal Document" with the technical name **com.sap.pct.erp.mss.appraisal\_document\_pmp** under Portal Content-> Content Provided by SAP> line\_manager->ManagerSelf-Service->ERP 6.0 EHP4->Pages->HCM and display the Object Based Navigation . For the operation Appraisal Document (PMP) maintain a numerically higher priority than for AppraisalDocument (WD UI)



Set the priority:



Similarly Open the page "Appraisal Document" with the technical name

**com.sap.pct.erp.mss.appraisal\_document\_wd\_ui** under Portal Content->Content Provided by SAP>line\_manager->ManagerSelf-Service->ERP 6.0 EHP4->Pages->HCM and display the Object Based Navigation. For the operation Appraisal Document (WD UI) maintain a numerically higher priority than for Appraisal Document (PMP)

Add the page "Appraisal Document" with the technical name

**com.sap.pct.erp.ess.documents\_ee** under Portal Content->Content Provided by SAP->End User Content->Employee Self-Service->ERP 6.0 EHP4->Pages->Career and Job to the OBN operation Appraisal Document (WD UI) in the Business Object Employee.

Business Object Employee :

Portal Content>Business Objects>ERP Common Parts>Human Resources > Empoloyee

The screenshot shows the SAP Fiori Launchpad interface. On the left, there is a navigation tree with categories like Financials, Foundation, Human Resources (expanded), E-Recruiting, Learning Solution, Talent Management, and Employee (also expanded). Under Employee, there are icons for Appraisal Document, Appraisal Document, Assess, Compare, and Display. The main area is titled 'Overview Employee'. It contains a table with columns: Operation Name, Operation ID, and Priority. A single row is selected with the value 'Appraisal Document' in the Operation Name column, 'appraisal\_document\_wd\_ui' in the Operation ID column, and '0' in the Priority column. Below the table are buttons for Save, Close, Preview, Refresh, and Edit Mode. At the bottom, there are buttons for Add, Remove, and Display iViews/Pages. A note says 'Use the Portal Catalog to add iViews or pages that implement this operation at runtime'. A section titled 'Implementing iViews / Pages' shows a table with columns: iView / Page, Location, and In Navigation. The right side of the screen shows a vertical scroll bar.

Add Page to the Operation Appraisal Document(WD UI)

This screenshot is similar to the previous one but shows a context menu being used. The 'Appraisal Document' entry in the list has a yellow background, indicating it is selected. A context menu is open over this entry, with the 'Add Page to Operation' option highlighted in yellow. Other options in the menu include Open, Preview, Change ID, Copy, Cut, and Delete. The rest of the interface is identical to the first screenshot, showing the navigation tree, the 'Overview Employee' table, and the 'Implementing iViews / Pages' section.

### Step 3: System Creation

System Admin>System Config> System Landscape >

The screenshot shows the SAP System Landscape Editor. In the center, there's a tree in a field under the heading "System Landscape Editor". On the left, a navigation tree includes "System Landscape", "Floating Aliases", "Keystore Administration", "UME Configuration", "Service Configuration", "Knowledge Management", "Collaboration", "Universal Worklist & Workflow", and "Web Dynpro Console". A "Portal Favorites" section is also present. The main area has tabs for "Overview", "Browse", and "Search". A context menu is open over a folder named "New", with options like "New", "Open", "Refresh", "Change ID", "Delete", "Copy", and "Cut". A sub-menu for "New" shows "System (from template)", "System (from PAR)", and "Folder". Below the tree, there's a "Quick Info" section with fields for "ID" (set to "pod:portal\_content/Apollo") and "Description". To the right, there's a sidebar with links for "Icon Legend", "Interface Structure", "Main Concepts", and "Tips".

Define application host and authentication ticket type:

This screenshot shows the "New System (from...)" configuration dialog. At the top, there are buttons for "Save", "Close", "Preview", "Refresh", "Edit Mode", and a "Display" dropdown set to "Object". Below that, a "Property Category" dropdown is set to "Show All". The main area contains two expandable sections: "Application Host" (which is expanded) and "Authentication Ticket Type" (which is collapsed). The "Application Host" section has a text input field containing a redacted URL. The "Authentication Ticket Type" section has a dropdown menu showing "SAP Logon Ticket".

ITS Property:

This screenshot shows the "ITS Property" configuration dialog. It lists several properties with their current values:

- ITS Description: [Redacted]
- ITS Host Name: [Redacted]
- ITS Path: /sap/bc/bsp/sap
- ITS Protocol: http
- Last Date Changed: 1/20/2011
- Logical System Name: [Redacted]
- Logon Method: SAPLOGONTICKET

## Connector property:

►  SAP Client	300
►  SAP System ID (SID)	[REDACTED]
►  SAP System Number	00
►  Server Port	3900

## System Type:

►  System Name *	[REDACTED]	
►  System Type	SAP_R3	

## User Mapping and WAS:

►  User Mapping Type	admin,user	
► Validate Connection	<input type="radio"/> Yes	<input checked="" type="radio"/> No
► Web AS Description	[REDACTED]	
►  Web AS Host Name	[REDACTED]	
►  Web AS Path	/sap/bc/webdynpro/sap/	
►  Web AS Protocol	http	

## System Alias:

Overview [REDACTED]

Save Close Preview Refresh Edit Mode Display: System Aliases

**System Alias Editor**

Create new aliases for this system or delete existing ones. A system alias can be any name you choose. The default alias represents the system in other interfaces, such as User Mapping.

Alias Name:

**Defined Aliases**

	Default	Alias Name
<input type="radio"/>		SAP_ECC
<input type="radio"/>		SAP_ECC_Common
<input checked="" type="radio"/>		SAP_ECC_HumanResources

Page 1 / 1


User Mapping Status: (Ready for user mapping configuration)

Alias name: SAP\_ECC\_HumanResources

## Backend Configurations:

### Step 1: V\_T7XSSSERRES

Run transaction SM30 and open View V\_T7XSSSERRES



Maintain the PCD url for the resource key **EMPLOYEE\_CAREER\_APPRAISAL\_WD\_UI\_14**

#### PCD URL to be maintained :

EXROLES://portal\_content/com.sap.pct/every\_user/com.sap.pct.erp.ess.bp\_folder/com.sap.pct.erp.ess.roles/com.sap.pct.erp.ess.employee\_self\_service/com.sap.pct.erp.ess.employee\_self\_service/com.sap.pct.erp.ess.area\_career\_job/com.sap.pct.erp.ess.appraisal\_document\_wd\_ui

#### Change View "Define Resources (Add Entries)": Details

Description	Beurteilungsdokumente
Server	[empty]
Directory Path	[empty]
Object Name	[empty]
URL Parameter	[empty]
Window Name	appraisal_pmp
Window Properties	width=1050,height=850,resizable=yes,toolbar=no
URL of Resource Object	
<input type="button" value="W"/> <input type="button" value="D"/> <input type="button" value="F"/> <input type="button" value="R"/> <input type="button" value="H"/> <input type="button" value="A"/> <input type="button" value="P"/> <input type="button" value="E"/> <input type="text" value="EXROLES://portal_content/com.sap.pct/every_user/com.sap.pct.erp.ess.bp_folder/com.sap.pct.erp.ess.roles/com.sap.pct.erp.ess.employee_self_service/com.sap.pct.erp.ess.employee_self_service/com.sap.pct.erp.ess.area_career_job/com.sap.pct.erp.ess.appraisal_document_wd_ui"/>	
<input type="button" value="L"/> Li 1, Co 1 <input type="button" value="Ln 1 - Ln 1 of 1 lines"/>	
URL of PCD Page <input type="checkbox" value="PCD Page Static"/> <input type="text" value="EXROLES://portal_content/com.sap.pct/every_user/com.sap.pct.erp.ess.bp_folder/com.sap.pct.erp.ess.roles/com.sap.pct.erp.ess.employee_self_service/com.sap.pct.erp.ess.employee_self_service/com.sap.pct.erp.ess.area_career_job/com.sap.pct.erp.ess.appraisal_document_wd_ui"/>	
<input type="button" value="L"/> Li 1, Co 76 <input type="button" value="Ln 1 - Ln 4 of 4 lines"/>	

Also maintain the pcd url for resource key: **EMPLOYEE\_CAREER\_APPRAISAL\_PMP\_14**

**PCD URL to be maintained:**

EXROLES://portal\_content/com.sap.pct/every\_user/com.sap.pct.erp.ess.bp\_folder/com.sap.pct.erp.ess.roles/  
com.sap.pct.erp.ess.employee\_self\_service/com.sap.pct.erp.ess.employee\_self\_service/  
com.sap.pct.erp.ess.area\_career\_job/com.sap.pct.erp.ess.documents\_ee\_pmp

### Change View "Define Resources (Add Entries)": Details

Define Resources (Add Entries)	
Description	Beurteilungsdokumente
Server	[Empty]
Directory Path	[Empty]
Object Name	[Empty]
URL Parameter	[Empty]
Window Name	appraisal_pmp
Window Properties	width=1050,height=850,resizable=yes,toolbar=no

URL of Resource Object	
 [Empty Text Area]	
Li 1, Co 1	Ln 1 - Ln 1 of 1 lines

URL of PCD Page	
<input type="checkbox"/> PCD Page Static	
 EXROLES://portal_content/com.sap.pct/every_user/com.sap.pct.erp.ess.bp_folder/com.sap.pct.erp.ess.documents_ee_pmp	
Li 1, Co 1	Ln 1 - Ln 2 of 2 lines

## Step 2: LPD\_CUST

Launch the transaction **LPD\_CUST** and open the launchpad **HAP HAP\_GENERIC\_UI**. Open the Entry Employee Document Object Based Navigation. Activate the restricted parameters and select the navigation mode **EXT\_HEAD**.

Open the launchpad **HAP PMP** and repeat the same procedure here as for **HAP HAP\_GENERIC\_UI**.

Overview of Launchpads							
<input type="checkbox"/> New Launchpad <span style="float: right;">     <input type="checkbox"/> Copy from other Launchpad         </span>							
Role	Instance	Description	Em...	Cha...	Dis...	Del...	User Name
FINREP	ERP63	Simplified Reporting					MUELLERSTEF
FIP_LP_BUY	YOU_CAN_ALSO_DL	"You can also" links - Distribution List					CHANANT
FPM_NAV_2	YOU_CAN_ALSO	FPM Test Navigation 2					LOEWH
FSCMTRMACC	FSCMTRMACC	For Role SAP_EP_RW_FSCM_TRM_TM_ACC					SCHIWEK
FSCMTRMBO	FSCMTRMBO	For Role SAP_EP_RW_FSCM_TRM_TM_BO					SCHIWEK
FSCMTRMCRA	FSCMTRMCRA	For Role SAP_EP_RW_FSCM_TRM_CRA					SCHIWEK
FSCMTRMFO	FSCMTRMFO	For Role SAP_EP_RW_FSCM_TRM_TM_FO					SCHIWEK
FSCMTRMHM	FSCMTRMHM	For Role SAP_EP_RW_FSCM_TRM_TM_HM					SCHIWEK
FSCMTRMMRA	FSCMTRMMRA	For Role SAP_EP_RW_FSCM_TRM_MRA					SCHIWEK
FSCMTRMPA	FSCMTRMPA	For Role SAP_EP_RW_FSCM_TRM_PA					SCHIWEK
HAP	HAP_GENERIC_UI						KORNHALL
HAP	PMP						KORNHALL
HDLT2	HDLT2	For Role SAP_EP_HR_PA00					SCHIWEK
HDLT3	HDLT3	For Role SAP_EP_HR_PA00					SCHIWEK
HRECM	HRECM_LAUNCH_PLANNING	Revise Planning					WEDDELING
HRPA00	HRPA00	For Role SAP_EP_HR_PA00					SCHIWEK
HRPC01	HRPC01	For Role SAP_EP_HR_PC01					ROESS
HRPP70	HRPP70	For Role SAP_EP_HR_PP70					ROESS
HRPT00	HRPT00	For Role SAP_EP_HR_PT00					ROESS
ICMSA	REP						C5012170
ISMFICACOL	ISMFICACOL	For Role SAP_ISM_FICA_COLL					SCHIWEK
ISMJJAMI	ISMJJAMI	For Role SAP_ISM_JJAM_INVOICE					SCHIWEK
ISMJJAMS	ISMJJAMS	For SAP_ISM_JJAM_SALES					SCHIWEK
ISMJKSD	ISMJKSD	For Role SAP_ISM_JKSD					SCHIWEK
ISMJSPOM	ISMJSPOM	For Role SAP_ISM_JSP0_MSDSALES					SCHIWEK
ISR	ADAPT_LO_OIF_UI_CONFIGURATIONS	Navigation targets for LO config POWL					AURIN

HAP PMP > Employee Document:



**Change Launchpad Role: HAP Instance: PMP**

<input type="checkbox"/> New Folder <input type="checkbox"/> New Application <input type="checkbox"/> Add Separator <input type="checkbox"/> Delete <input type="checkbox"/> Copy from other Launchpad <input type="checkbox"/> Search	
<b>Linktext and optional description</b> <b>Linktext:</b> Employee Document <b>Descript.:</b> <b>Appl. Alias:</b> EMPLOYEE_DOCUMENT_OBN	
<b>Application – Deactivation by user</b> Application can not be removed from the launchpad <input type="checkbox"/>	
<b>Application category</b> <b>Application category:</b> Object Based Navigation	
<b>Application Parameters</b> <b>Business Object:</b> employee <b>Activity:</b> appraisal_document_pmp <b>Parameter:</b> <b>System Alias:</b> SAP_ERP_HumanResources	
<b>Restricted Parameters</b> <b>Activate:</b> <input checked="" type="checkbox"/> <b>Window Features:</b> <b>Navigation Mode:</b> EXT_HEAD Headerle	

### Step 3: SICF

Activate the required services as below:

Under **sap/public/bc**



## Under sap/bc/Web Dynpro

Virtuelle Hosts / Services	Documentation	Referenz Service
▷  testzone	Services for TestZone	
▷  trex	TREX	
▷  wappush	Handler for WAP PUSH	
▷  wdvd	HTTP Service View Designer	
▷  wd_trace_tool	WebDynpro TraceTool	
▷  webapp	WEBAPP REDIRECT HANDLER	
▷  webdynpro	Web Dynpro (WD) Runtime	
▷  bobf	Namespace	
▷  cbad	Namespace	
▷  kyk	Namespace	
▷  sap	NAMESPACE SAP	
▷  SPE	Wed Dynpro Applications for Consolidator Portal ...	
▷  webflow	WebFlow	
▷  webrfc	Service for Emulation of ITS Web RFC Service	
▷  workflow	Workflow	
▷  workflow_xml	HANDLER FOR WORKFLOW XML DATA, PARTICULAR...	
▷  xmb	Integration Engine	
▷  xmsmsg	TEST INBOX XMS WITH INTERNAL MESSAGE OBJE...	
▷  xrfc	EXECUTION OF REMOTE FUNCTION CALLS ...	
▷  xrfc_test	TIME MEASUREMENT FOR XRFC HANDLER	

After completing all above mentioned configurations you should be able to use Appraisal link in ESS with predefined template. Add flexible UI iView to the required role to use the capability of customizing the template.

Below is the appraisal flexible ui application.

The screenshot shows the "Employee Documents" screen of the Appraisal Documents (WD UI). At the top, there is a search bar with fields for Category Group ID (00000001), Category ID (00000003), Appraisal Template ID (highlighted in yellow), Employee (dropdown menu), and Valid From/To dates (01.01.2011 to 31.12.2011). Below the search bar is an "Apply" button. The main area features a table with the following columns: Appraisal Status, Substatus, Appraisee Name, Appraisal Document Name, Period, To, Offline Info, and App.Document Type. The table currently displays one row of data.

## Related Content

[Note 1468466 - Performance Management Launchpad Configuration](#)

[Note 1463821 - Performance Management Portal Configuration](#)

[HOW TO GET RID OF SP STACK MISMATCH ISSUES](#)

[Configuring SAP Web AS ABAP to Accept Logon Tickets from the J2EE Engine](#)

[SAP NetWeaver](#)

[Object-Based Navigation \(OBN\)](#)

For more information, visit the [Portal and Collaboration homepage](#).

## Disclaimer and Liability Notice

This document may discuss sample coding or other information that does not include SAP official interfaces and therefore is not supported by SAP. Changes made based on this information are not supported and can be overwritten during an upgrade.

SAP will not be held liable for any damages caused by using or misusing the information, code or methods suggested in this document, and anyone using these methods does so at his/her own risk.

SAP offers no guarantees and assumes no responsibility or liability of any type with respect to the content of this technical article or code sample, including any liability resulting from incompatibility between the content within this document and the materials and services offered by SAP. You agree that you will not hold, or seek to hold, SAP responsible or liable with respect to the content of this document.