

Crystal Reports® 2008 with Service Pack 2 for Windows – Supported Platforms



Applies to:

Crystal Reports® 2008 with Service Pack 2 for Windows. For more information, visit the [Business Objects homepage](#).

Summary

This document contains information specific to platforms and configurations for the Crystal Reports® 2008 SP2 release. For the latest information on updates to this document, please visit [Business Objects Articles](#).

Author: Bryce Tang

Company: SAP

Created on: 5, June 2010

Note: Anything that is highlighted using red font indicates that it is an update, addition or correction made after the original release of this document.

Table of Contents

Products	3
Languages	3
Supported Operating Systems.....	4
Hardware Support	4
Crystal Reports® and Microsoft Critical Patches	4
Minimum Screen Resolution.....	4
Minimum Hardware Requirements	4
Supported Application Servers	5
Supported Operating Systems for Application Servers	5
Application Server Incremental Release Support Policy	5
JDK Version Support Policy.....	5
Specific Patches Required for Oracle Application Server.....	5
Supported HTTP Servers.....	5
Supported Browsers	6
Data Source Middleware Support.....	6
ODBC DSN Support	6
Database Support (OLAP).....	7
OLAP Connectivity.....	7
Database Support (RDBMS)	8
Database Support (Technology).....	12
Support for SAP Application Servers.....	14
Other Tools	15
Microsoft Office	15
Adobe Reader	15
Adobe Flash Player.....	15
Citrix Support	15
Microsoft .NET Framework	15
Development Platforms.....	15
Related content.....	16
Copyright.....	17

Products

- Crystal Reports® 2008 with Service Pack 2 Designer

Languages

- Chinese Simplified
- Chinese Traditional
- Dutch
- English
- French
- German
- Italian
- Japanese
- Korean
- Portuguese (Brazil)
- Spanish
- Swedish
- Polish
- Norwegian
- Thai
- Russian

Supported Operating Systems

- Windows 7
- Windows Vista (All 32-bit and 64-bit Editions)
- Windows Vista SP1 (all 32 bit and 64-bit Editions)
- Windows XP SP2 Professional
- Windows XP SP3 Professional
- Windows Server 2003 R2 Datacenter Edition
- Windows Server 2003 R2 Enterprise Edition
- Windows Server 2003 R2 Standard Edition
- Windows Server 2003 R2 Web Edition
- Windows Server 2003 SP2 Datacenter Edition
- Windows Server 2003 SP2 Enterprise Edition
- Windows Server 2003 SP2 Standard Edition
- Windows Server 2003 SP2 Web Edition
- Windows Server 2003 (x64 Edition) SP2
- Windows Server 2008 Datacenter Edition
- Windows Server 2008 Enterprise Edition
- Windows Server 2008 Standard Edition
- Windows Server 2008 Web Edition

Hardware Support

- Crystal Reports® is supported running on 32-bit versions of Windows running on x86 and x64 CPUs made by AMD and Intel.
- Crystal Reports® is supported running on 64-bit versions of Windows running on x64 CPUs made by AMD and Intel.

Crystal Reports® and Microsoft Critical Patches

Business Objects supports and recommends install of all Microsoft critical patches for the operating systems listed above. It is recommended to refer to the Business Objects policy on Microsoft patch support, which can be found on our [support area](#) site.

Minimum Screen Resolution

- Screen resolution of [1024] x [768] is recommended.

Minimum Hardware Requirements

- Intel Pentium III or equivalent processor
- 256 MB RAM, 512 MB recommended
- 600 MB available hard drive space
- CD-ROM drive (for CD install only)

Supported Application Servers

The following applies to all components within Crystal Reports that run within an application server, including:

- .NET HTML Viewers
- Java HTML Viewers
- Web-tier server support for ActiveX viewer and Java applet viewer
- Redistributable applications that embed the reporting engine

Application Server	JDK
Microsoft IIS 7.0	N/A
Microsoft IIS 6.0	N/A
JBoss 4.0.4	JDK 1.5.0_xx
Oracle Application Server 10gR3 (10.1.3)	JDK 1.5.0_xx
SAP NetWeaver 7.0	JDK 1.4.2_xx
SAP NetWeaver 7.1	JDK 1.5.0_xx
Tomcat 5.5	JDK 1.5.0_xx
Tomcat 6.0	JDK 1.5.0_xx
WebLogic 9.2 MP2	JDK 1.5.0_xx JRockit 5.0+
WebLogic 10	JDK 1.5.0_xx JRockit 5.0+
WebLogic 10.3	JDK 1.6.0_xx JRockit 6.0+
WebSphere Application Server 6.1.0.7	JDK 1.5.0_xx
WebSphere Application Server 7	JDK 1.6.0_xx
WebSphere Application Server Community Edition 2.0	JDK 1.5.0_xx

Supported Operating Systems for Application Servers

Web application servers are supported only when installed on server operating systems. See the Supported Operating Systems section of this document. Windows XP and Windows Vista are not considered server operating systems.

Application Server Incremental Release Support Policy

Specified application servers versions have been successfully tested by Business Objects. Incremental releases of the specified versions defined by the last number in the application server name will be supported as they are made available, but may not have been tested by Business Objects. Exceptions in support will be documented.

JDK Version Support Policy

JDK major versions are specified to ensure the use of correct version when there are multiple choices provided by the vendor. Business Objects tests and supports any _xx release installed with a given application server.

Specific Patches Required for Oracle Application Server

See release notes for exact patch level support.

Supported HTTP Servers

Any supported by Application Server vendor.

Supported Browsers

The following applies to all HTML viewers and the ActiveX Viewer (in IE only).

Browser OS	Browser	JVM
Microsoft Windows	IE 6.0 SP2	Sun 1.5.0_xx Sun 1.6.0_02+
	IE 7.0	Sun 1.5.0_xx Sun 1.6.0_02+
	IE 8.0	Sun 1.5.0_xx Sun 1.6.0_xx
	Firefox 2.0	Sun 1.5.0_xx Sun 1.6.0_02+
	Firefox 3.0	Sun 1.5.0_xx Sun 1.6.0_02+
Apple Mac OS X	Safari 3.1	Apple 1.5.0_xx Apple 1.6.0_xx
	Safari 3.2.x	Apple 1.5.0_xx Apple 1.6.0_xx
	Firefox 2.0	Apple 1.5.0_xx Apple 1.6.0_xx
	Firefox 3.0	Apple 1.5.0_xx Apple 1.6.0_xx

Data Source Middleware Support

BusinessObjects Enterprise Suite products that are compiled as 32-bit native binary are designed to use 32-bit data source middleware connectivity. Unless otherwise specified in the PAR, 64-bit middleware connectivity is not supported. Conversely, native 64-bit offerings of BusinessObjects Enterprise Suite products are designed to exclusively use 64-bit data source middleware connectivity.

Interoperability combinations between 32-bit / 64-bit releases of database client / server will be supported, so long as vendor compatibility between client middleware and server is guaranteed.

ODBC DSN Support

BusinessObjects products use the 32-bit ODBC registry on all versions of Windows. To administer 32-bit ODBC DSNs on 64-bit versions of Windows, run the 32-bit ODBC Administrator, located here:
C:\Windows\SysWOW64\odbcad32.exe.

Database Support (OLAP)

Provider Name	Data Connector	Unicode Support
Hyperion Essbase Server 7.1.x	Hyperion Essbase API 7.1.x	Yes
Hyperion System 9	Hyperion Essbase client 9.0	
	Hyperion Essbase client 9.2	
	Hyperion Essbase client 9.3	
Microsoft SQL Server Analysis Services 2000 SP4	Microsoft SQL Server OLAP Client 2000 SP4	Yes
Microsoft SQL Server Analysis Services 2005 SP1 ¹	Microsoft SQL Server OLAP Client 2005 SP1	Yes
Microsoft SQL Server Analysis Services 2005 SP2 ¹	Microsoft SQL Server OLAP Client 2005 SP2	Yes
Microsoft SQL Server Analysis Services 2008 ²	Microsoft SQL Server 2008 Analysis Services 10.0 OLE DB Provider ²	Yes

(1) The minimum version level for MS SQL Server Analysis Services 2005 is SP1. The 2005 RTM version is not supported.

(2) Supported with Microsoft SQL Server 2008 Release Candidate 0 (RC0)

OLAP Connectivity

Consuming OLAP is supported via direct connection only. OLAP Universes are not supported.

Database Support (RDBMS)

Provider Name	Data Connector	Unicode
Generic JDBC Sources ⁴	Java 1.5	Yes
Generic ODBC Sources ⁴	ODBC	Yes
Generic OLEDB Sources ⁴	OLEDB	Yes
GreenPlum Database 3.2	PostgreSQL ODBC 8.2	Yes
	PostgreSQL JDBC 8.2	Yes
HP Neoview 2.3.1	HP Neoview ODBC 2.3.1	Yes
HP Neoview 2.4	HP Neoview ODBC Driver 2.3.1 (4)	Yes
IBM DB2/UDB for iSeries 5.3	DB2 Client 8.2	Yes
	IBM iSeries Access (ODBC) 5.3	Yes
	DB2 JDBC Universal Driver	Yes
	IBM iSeries Access (OLEDB) 5.3	Yes
	DataDirect ODBC 5.3 ¹	Yes
IBM DB2/UDB for iSeries 5.4	DB2 JDBC Universal Driver	Yes
	DB2 Connect 9.1	
	IBM iSeries Access (ODBC) 5.4	
	DataDirect ODBC 5.3 ¹	Yes
IBM DB2/UDB for NT/Unix/Linux 8.2	DB2 Client 8.2	Yes
	IBM JDBC Universal Driver	Yes
	DB2 OLEDB 8.2	Yes
	DataDirect ODBC 5.3 ¹	Yes
IBM DB2/UDB for NT/Unix 9.1	DB2 Client 9.1	Yes
	IBM JDBC Universal Driver	Yes
	DB2 OLEDB 9.1	Yes
	DataDirect ODBC 5.3 ¹	Yes
IBM DB2/UDB for NT/Unix/Linux 9.5	DB2 Client 9.5	Yes
	DB2 JDBC Universal Driver	Yes

	DB2 OLEDB 9.5	Yes
	DataDirect ODBC 5.3 ¹	Yes
IBM DB2/UDB for zSeries 8	DB2 Client 8.2	
	DB2 universal JDBC Driver ⁶	Yes
	DataDirect ODBC 5.3 ¹	Yes
IBM DB2/UDB for zSeries 9.1	DB2 Client 9.1	Yes
IBM Informix Dynamic Server 10.0	IBM Informix ODBC SDK 2.90	Yes
	DataDirect ODBC 5.3 ¹	Yes
	IDS Client 10.0 ³	
IBM Informix Dynamic Server 11.1	IBM Informix ODBC SDK 3.50	Yes
	DataDirect ODBC 5.3 ¹	Yes
	IDS Client 11.1 ³	
Ingres 2006	Ingres ODBC 3.5	Yes
Microsoft Access 2003	DAO 3.6	Yes
	Microsoft ODBC MDAC 2.8	Yes
	Microsoft OLEDB MDAC 2.8	Yes
Microsoft Access 2007 (.accdb)	2007 Office System Driver: ODBC	Yes
	2007 Office System Driver: OLEDB	Yes
Microsoft SQL Server 2000 SP4	Microsoft ODBC MDAC 2.8	Yes
	Microsoft OLEDB MDAC 2.8	Yes
	SQL Server 2000 JDBC Driver	Yes
	DataDirect ODBC 5.3 ¹	Yes
Microsoft SQL Server 2005 RTM/SP1/SP2	Microsoft ODBC MDAC 2.8	Yes
	Microsoft OLEDB MDAC 2.8	Yes
	Microsoft ODBC SNAC (Native Client)	Yes
	Microsoft OLEDB SNAC (Native Client)	Yes

	SQL Server 2005 JDBC Driver	Yes
	DataDirect ODBC 5.3 ¹	Yes
Microsoft SQL Server 2008 ⁷	JDBC SQL Server 2008	Yes
	Microsoft ODBC MDAC 2.8	Yes
	Microsoft ODBC SNAC (Native Client)	Yes
	Microsoft OLEDB MDAC 2.8	Yes
	Microsoft OLEDB SNAC (Native Client)	Yes
MySQL AB 5.0	MySQL Connector/ODBC 5.1.4	Yes
	MySQL Connector/J (JDBC) 5.0	Yes
NCR Teradata V2R6.2	NCR Teradata ODBC 3.06 (TTU 8.2)	Yes
	NCR Teradata JDBC 3.04 (TTU 8.2)	Yes
Teradata 12.0	Teradata ODBC TTU 12.00.00.01	Yes
	Teradata JDBC TTU 12.00.00.01	Yes
Netezza 3.1	Netezza ODBC 3.1	Yes
	Netezza JDBC Access	Yes
Netezza NPS Server 4.0	Netezza ODBC 4.01	Yes
	Netezza JDBC Access	Yes
Netezza NPS Server 4.5	Netezza ODBC 4.5	Yes
	Netezza JDBC 4.5	Yes
Oracle 9.2	Oracle Native Client 9.2	Yes
	JDBC Oracle 9.2 ³	Yes
	ODBC Oracle 9.2 ³	Yes
	OLEDB Oracle 9.2 ³	Yes
	DataDirect ODBC 5.3 ¹	Yes
Oracle 10g R1 (10.1)	Oracle Native Client 10.1	Yes

	JDBC Oracle 10.1	Yes
	ODBC Oracle 10.1	Yes
	OLEDB Oracle 10.1	Yes
	DataDirect ODBC 5.3 ¹	Yes
Oracle 10g R2(10.2)	Oracle Native Client 10.2	Yes
	JDBC Oracle 10.2	Yes
	ODBC Oracle 10.2	Yes
	OLEDB Oracle 10.2	Yes
	DataDirect ODBC 5.3 ¹	Yes
Oracle 11g R1 (11.1) ²	JDBC Oracle 11G R1	Yes
	ODBC Oracle 11G R1	Yes
	OLEDB Oracle 11G R1	Yes
	Oracle Native Client 11G R1	Yes
Progress OpenEdge 10.0B	OpenEdge 10.0B ODBC	Yes
	OpenEdge 10.0B JDBC	Yes
PostgreSQL 8.2	PostgreSQL 8.2 ODBC	Yes
	PostgreSQL 8.2 JDBC	Yes
Sybase ASE 12.5.x	Sybase Open Client 12.5	
	JDBC Sybase 12.5	Yes
	ODBC Sybase 12.5	Yes
	DataDirect ODBC 5.3 ¹	Yes
Sybase ASE 15	Sybase Open Client 15	

(1) DataDirect drivers for Crystal Reports are available from Business Objects. See the Crystal Reports Start Page for download details.

(2) Oracle Real Application Cluster (RAC) is supported

(3) Data connectivity is assumed to be single-threaded. Customers are recommended not to use these drivers in concurrent on-demand scenarios since reports will be handled serially.

(4) Generic ODBC, OLEDB and JDBC: Limitation:

- Database server, Client and ODBC/JDBC/OLEDB driver used must support multiple threads.
- Generic JDBC: 3rd Party JDBC Type 4-compliant drivers may potentially have issues as not all combinations have been tested, but are supported for *relational database access* as a general rule.
- Generic ODBC: 3rd Party ODBC Level 2-compliant Drivers may potentially have issues as not all combinations have been tested yet, but are supported as a general rule.

(6) Supported for all operating systems listed in the Supported Operating Systems section, except Linux (Red Hat/SUSE).

(7) Supported with Microsoft SQL Server 2008 Release Candidate 0 (RC0)

Database Support (Technology)

Provider Name	Data Connector	Unicode Support
ACT 6	ACT 6	
ADO .NET	Microsoft .NET Framework 1.0	Yes
	Microsoft .NET Framework 1.1	Yes
	Microsoft .NET Framework 2.0	Yes
Borland Database Engine 5.1	BDE 5.1	
COM	N/A	Yes
Microsoft Exchange 5.5	Crystal Reports Outlook/Exchange driver	
Microsoft Exchange 2000	Crystal Reports Outlook/Exchange driver	
Microsoft Exchange 2003	Crystal Reports Outlook/Exchange driver	Yes
Microsoft Excel 2000	DAO 3.6	Yes
	ODBC	Yes
	OLEDB	Yes
Microsoft Excel 2003	DAO 3.6	Yes
	ODBC	Yes
	OLEDB	Yes
Microsoft Excel 2007 ¹	ODBC	Yes
	OLEDB	Yes

Field Definitions	N/A	Yes
File System	N/A	Yes
Java Bean	JDK 1.5	Yes
Lotus Notes 6	ODBC Lotus Notes 6	Yes
Lotus Notes 7	ODBC Lotus Notes 7	Yes
Microsoft IIS Log	N/A	
Microsoft Outlook 2000	Crystal Reports Outlook/Exchange driver	Yes
	Crystal Reports Outlook driver	
Microsoft Outlook 2003	Crystal Reports Outlook/Exchange driver	Yes
	Crystal Reports Outlook driver	
Microsoft Outlook 2007	Crystal Reports Outlook/Exchange driver	Yes
	Crystal Reports Outlook driver	
NT Event Log	N/A	
Pervasive SQL 2000	ODBC Pervasive 2000	Yes
	Pervasive SQL Client 2000	
Pervasive SQL 8	ODBC Pervasive 8	Yes
Pervasive SQL 10	ODBC Pervasive 10	Yes
	OLE DB Pervasive 10	Yes
	JDBC Pervasive 10	Yes
	Pervasive SQL Client 10	Yes
Salesforce.com	Crystal Reports Salesforce.com driver	Yes
Text	ODBC	Yes
Web Log	N/A	
xBase	N/A	
XML	Crystal Reports XML and Web Services driver	Yes
Web Services	Crystal Reports XML and Web	Yes

	Services driver	

(1) DAO technology cannot be used to access the Microsoft Office 2007 file formats: Microsoft Access 2007 .accdb, Microsoft Excel 2007 .xlsx (XML) and .xlsb (Binary). These file formats are supported via the Microsoft 2007 Office System drivers for ODBC and OLEDB.

Support for SAP Application Servers

BusinessObjects XI Integration for SAP Solutions must be installed in order to use an SAP application server as a data source. For the latest information on SAP platforms required by BusinessObjects XI Integration for SAP Solutions, please visit the [support area](#) of the website.

The following list of products is applicable to SAP application server support:

- Crystal Reports (OLAP and Relational)
- Dashboard Builder (OLAP)
- Live Office (OLAP and Relational)
- QaaWS (OLAP)
- Voyager (OLAP)
- Web Intelligence (OLAP)

Other Tools

Microsoft Office

- Microsoft Office 2007
- Microsoft Office 2003 SP2
- Microsoft Office XP SP3
- Microsoft Office XP SP2

Adobe Reader

- Adobe Reader 8
- Acrobat Reader 9

Adobe Flash Player

- Adobe Flash Player 9

Only required for viewing Flash objects embedded in a Crystal Report

Citrix Support

- Citrix Presentation Server 4

Citrix is not supported for Chinese and Korean

Microsoft .NET Framework

- .NET 1.1
- .NET 2.0
- .NET 3.0
- .NET 3.5

Development Platforms

This section refers to the Visual Studio components that are included in Crystal Reports.

- Visual Studio 2003
- Visual Studio 2005
- Visual Studio 2008

These components are not supported when running in Visual Studio 2003 on Windows Vista, since Visual Studio 2003 doesn't support Windows Vista. For more information see the [Microsoft Visual Studio and Windows Vista FAQ](#).

Related content

For more information and resources, refer to the product documentation and visit the support area of the web site at: <http://help.sap.com>

For the latest information on updates to this document, please visit [Business Objects Articles](#).

For more information, visit the [Business Objects homepage](#).

Copyright

© 2008 SAP AG. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP AG. The information contained herein may be changed without prior notice.

Some software products marketed by SAP AG and its distributors contain proprietary software components of other software vendors.

Microsoft, Windows, Outlook, and PowerPoint are registered trademarks of Microsoft Corporation.

IBM, DB2, DB2 Universal Database, OS/2, Parallel Sysplex, MVS/ESA, AIX, S/390, AS/400, OS/390, OS/400, iSeries, pSeries, xSeries, zSeries, System i, System i5, System p, System p5, System x, System z, System z9, z/OS, AFP, Intelligent Miner, WebSphere, Netfinity, Tivoli, Informix, i5/OS, POWER, POWER5, POWER5+, OpenPower and PowerPC are trademarks or registered trademarks of IBM Corporation.

Adobe, the Adobe logo, Acrobat, PostScript, and Reader are either trademarks or registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Oracle is a registered trademark of Oracle Corporation.

UNIX, X/Open, OSF/1, and Motif are registered trademarks of the Open Group.

Citrix, ICA, Program Neighborhood, MetaFrame, WinFrame, VideoFrame, and MultiWin are trademarks or registered trademarks of Citrix Systems, Inc.

HTML, XML, XHTML and W3C are trademarks or registered trademarks of W3C®, World Wide Web Consortium, Massachusetts Institute of Technology.

Java is a registered trademark of Sun Microsystems, Inc.

JavaScript is a registered trademark of Sun Microsystems, Inc., used under license for technology invented and implemented by Netscape.

MaxDB is a trademark of MySQL AB, Sweden.

SAP, R/3, mySAP, mySAP.com, xApps, xApp, SAP NetWeaver, and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and in several other countries all over the world. All other product and service names mentioned are the trademarks of their respective companies. Data contained in this document serves informational purposes only. National product specifications may vary.

These materials are subject to change without notice. These materials are provided by SAP AG and its affiliated companies ("SAP Group") for informational purposes only, without representation or warranty of any kind, and SAP Group shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

These materials are provided "as is" without a warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose, or non-infringement.

SAP shall not be liable for damages of any kind including without limitation direct, special, indirect, or consequential damages that may result from the use of these materials.

SAP does not warrant the accuracy or completeness of the information, text, graphics, links or other items contained within these materials. SAP has no control over the information that you may access through the use of hot links contained in these materials and does not endorse your use of third party web pages nor provide any warranty whatsoever relating to third party web pages.

Any software coding and/or code lines/strings ("Code") included in this documentation are only examples and are not intended to be used in a productive system environment. The Code is only intended better explain and visualize the syntax and phrasing rules of certain coding. SAP does not warrant the correctness and completeness of the Code given herein, and SAP shall not be liable for errors or damages caused by the usage of the Code, except if such damages were caused by SAP intentionally or grossly negligent.