

Crystal Reports Server 2008 V1 Service Pack 5 for Windows – Supported Platforms



Applies to:

Crystal Reports Server 2008 V1 Service Pack 5 for Windows.

Summary

Supported Platforms Documented for Crystal Reports Server 2008 V1

Company: SAP

Created on: 15 February, 2012

Table of Contents

Introduction	3
Products	3
Desktop	3
Server	3
Languages	3
Supported Operating Systems	4
Desktop Products	4
Server Products	4
SAP BusinessObjects and Microsoft Critical Patches	4
Minimum Screen Resolution	4
Minimum Hardware Requirements for Crystal Reports Server 2008 V1	5
Supported Application Servers	5
Application Server Incremental Release Support Policy	6
JDK Version Support Policy	6
Supported HTTP Servers	6
Supported Portal Servers	6
Portal Server Minor Release Support Policy	6
Supported Browsers	7
SVG and Flash support for Dashboard and Analytics	7
Data Source Middleware Support	7
ODBC DSN Support	7
CMS Database (Repository) & Audit Databases	8
Supported Data Sources for Crystal Reports	8
Crystal Reports Reporting Data Sources Supported for Scheduling Only	14
Scheduled and on demand reporting	15
Generic ODBC, OLEDB and JDBC: Limitation	15
Support for Integration Option for Microsoft SharePoint software	15
Other Tools	15
Reverse Proxy Servers	15
LDAP Directory	15
Active Directory	16
Access Management	16
Office	16
Admin Platform	16
Product/Language Support on Citrix	16
Reader	16
.NET Framework	16
VMWare ESX Support	17
File Transfer Protocol (FTP) Requirements	17
Related Content	18
Copyright	19

Introduction

This document contains information specific to platforms and configurations for the Crystal Reports Server 2008 V1 Service Pack 5 release. For the latest information on updates to this document, please visit Business Objects Articles at: <https://www.sdn.sap.com/irj/sdn/businessobjects-articles>

Note: Anything that is highlighted using red font indicates that it is an update, addition or correction made after the original release of this document.

Products

Desktop

- Crystal Reports Server 2008 V1 Client Tools(Win32 clients)
- SAP BusinessObjects™ Live Office (1)
- Crystal Reports® Designer 2008

(1) .Net Framework 2.0 is a necessary minimum requirement.

Server

- Crystal Reports Server 2008 V1 (Server Components)

Languages

- Chinese Simplified
- Chinese Traditional
- Czech
- Danish
- Dutch
- English
- Finnish
- French
- German
- Hungarian
- Italian
- Japanese
- Korean
- Norwegian
- Polish
- Portuguese (Brazil)
- Slovak
- Slovene
- Spanish
- Swedish

- Russian
- Thai

Supported Operating Systems

Desktop Products

- Windows XP SP3 Professional
- Windows Vista SP2 (1)
- Windows 7 (1)
- Windows 7 SP1 (1)
- Windows Server 2003 SP2 (1) (2)
- Windows Server 2003 R2 SP2 (1) (2)
- Windows Server 2008 (1) (2)
- Windows Server 2008 SP2 (1) (2)
- Windows Server 2008 R2 (2) (3)

(1) 32-bit and 64-bit O/S editions supported.

(2) Data Center Edition, Enterprise Edition, Standard Edition , Web Edition

(3) 64-bit O/S editions supported.

Server Products

- Windows Server 2003 SP2 (1) (2)
- Windows Server 2003 R2 SP2 (1) (2)
- Windows Server 2008 (1) (2)
- Windows Server 2008 SP2 (1) (2)
- Windows Server 2008 R2 (2) (3)
- Windows Server 2008 R2 SP1 (2) (3)

(1) 32-bit and 64-bit O/S editions supported.

(2) Data Center Edition, Enterprise Edition, Standard Edition , Web Edition

(3) 64-bit O/S editions supported.

SAP BusinessObjects and Microsoft Critical Patches

SAP BusinessObjects supports the install of all Microsoft critical patches for the operating systems listed above.

Specified Windows versions have been successfully tested by Business Objects. The compatible service pack releases of the specified versions will be supported as they are made available, but may not have been tested by Business Objects. Exceptions in support will be documented

Minimum Screen Resolution

Screen resolution of [1024] x [768] is recommended.

Minimum Hardware Requirements for Crystal Reports Server 2008 V1

- 2.0 GHz Pentium 4-class processor
- 2 GB RAM
- 5.6 GB hard disk space for Crystal Reports Server 2008 V1 for complete install excluding Data Services

Note:

Crystal Reports Server 2008 V1 software is supported running on 32-bit versions of Windows running on x86 and x64 CPUs made by AMD and Intel.

Crystal Reports Server 2008 V1 software is supported running on 64-bit versions of Windows running on x64 CPUs made by AMD and Intel if it can reference the 32-bit operating system libraries as well as the 32-bit database and application client libraries ..

Note: Additional languages can be installed in Crystal Reports Server 2008 V1 via Language Pack Install. On average, an additional 0.3 GB hard disk space is required per language install

Supported Application Servers

Application Servers	JDK
JBoss 4.2.3	JDK 1.5.0_xx
Microsoft IIS 7.5	N/A
Microsoft IIS 7.0	N/A
Microsoft IIS 6.0	N/A
Oracle Application Server 10gR3 (10.1.3) (1)	JDK 1.5.0_xx
SAP NetWeaver 7.0 (2)	JDK 1.4.2_xx
SAP NetWeaver 7.1 (2)	JDK 1.5.0_xx
Tomcat 5.5	JDK 1.5.0_xx
Tomcat 6.0.18	JDK 1.5.0_xx
Tomcat 6.0.18	JDK 1.6.0_xx
Tomcat 7	JDK 1.6
WebLogic 9.2 MP2	JDK 1.5.0_xx JRockit 5.0+
WebLogic 10	JDK 1.5.0_xx JRockit 5.0+
WebLogic 10.3	JDK 1.6.0_xx JRockit 6.0+
WebSphere Application Server 6.1.0.7	JDK 1.5.0_xx
WebSphere Application Server 7	JDK 1.6.0_xx

Application Servers	JDK
WebSphere Application Server Community Edition 2.0	JDK 1.5.0_xx

(1) Please see release notes on the minimum version supported for Dashboard and Analytics.

(2) Not supported for Web Services.

Note: Native 64-bit Java Application Servers are supported.

Application Server Incremental Release Support Policy

Specified application servers versions have been successfully tested by Business Objects. Incremental releases of the specified versions defined by the last number in the application server name will be supported as they are made available, but may not have been tested by Business Objects. Exceptions in support will be documented.

JDK Version Support Policy

JDK major versions are specified to ensure the use of correct version when there are multiple choices provided by the vendor. Business Objects tests and supports any _xx release installed with a given application server.

Supported HTTP Servers

Any supported by Application Server vendor.

Supported Portal Servers

- Microsoft SharePoint Portal Server 2003 (32-bit editions only) (1) (2)
- Microsoft Windows SharePoint Services (WSS 2.0) 2003 (32-bit only) (1) (2)
- Microsoft SharePoint Portal Server 2007 (32-bit editions only) (1) (2)
- Microsoft Windows SharePoint Services (WSS 3.0) 2007 (32-bit only) (1) (2)
- Oracle Portal Server 10g R3 (10.1.4) (JSR 168)
- WebLogic Portal Server 9.2.x (JSR 168)
- WebLogic Portal Server 10.0.x (JSR 168)
- WebLogic Portal Server 10.3.2 (JSR 168)
- WebSphere Portal 6.0.x.x (JSR 168)
- WebSphere Portal 6.1 (JSR 286)
- **WebSphere Portal 7.0** (JSR 286)
- SAP NW 7.3 EP (JSR 168/286)

(1) Portal Integration Kit for SharePoint supports 32-bit SharePoint running on either 32-bit or 64-bit Windows Servers provided SharePoint itself supports the operating system.

(2) Danish, Thai & Norwegian languages are not supported

Portal Server Minor Release Support Policy

Specified portal servers versions have been successfully tested by Business Objects. Minor/incremental releases of the specified versions defined by the last number (or two in the case of Websphere) in the portal server version number will be supported as they are made available, but all may not have been tested by SAP BusinessObjects. Exceptions in support will be documented.

Supported Browsers

Browser OS	Browser	JVM
Apple Mac OS X	Firefox 3.5	Apple 1.5.0_xx Apple 1.6.0_xx
	Safari 4.0.3+ (1)	Apple 1.5.0_xx Apple 1.6.0_xx
	Safari 5	Apple 1.6.0_xx
Microsoft Windows	Firefox 3.5	Sun 1.5.0_xx Sun 1.6.0_xx
	Firefox 3.6	Sun 1.5.0_xx Sun 1.6.0_xx
	Firefox 8 (2)	Sun 1.6.0_xx
	IE 6.0 SP3	Sun 1.5.0_xx Sun 1.6.0_02+
	IE 7.0	Sun 1.5.0_xx Sun 1.6.0_02+
	IE 8.0 (1)	Sun 1.5.0_xx Sun 1.6.0_xx
	IE 9.0 (1)	Sun 1.6.0_xx

(1) Only Compatibility Mode Supported

(2) New Firefox release will be supported with minimal testing about two weeks after the release by Mozilla.

SVG and Flash support for Dashboard and Analytics

- SVG is not supported by Dashboard and Analytics for Firefox.
- SVG version 3.0.3 and above supported for Internet Explorer.
- Flash version 7 and above supported for Internet Explorer and Firefox.

Data Source Middleware Support

Crystal Reports Server 2008 V1 Suite products that are compiled as 32-bit native binary are designed to use 32-bit data source middleware connectivity. Unless otherwise specified in the Supported Platforms, 64-bit middleware connectivity is not supported.

ODBC DSN Support

SAP BusinessObjects products use the 32-bit ODBC registry on all versions of Windows. To administer 32-bit ODBC DSNs on 64-bit versions of Windows, run the 32-bit ODBC Administrator, located here:
C:\Windows\SysWOW64\odbcad32.exe

CMS Database (Repository) & Audit Databases

Provider Name	Data Connector
IBM DB2/UDB for NT/Unix/Linux 9.1	DB2 Client 9.1
IBM DB2/UDB for NT/Unix/Linux 9.5	DB2 Client 9.5
IBM DB2/UDB for NT/Unix/Linux 9.7	DB2 Client 9.7
MS SQL Server 2005 SP3/SP4	Microsoft ODBC MDAC 2.8
	Microsoft ODBC SNAC (Native Client)
MS SQL Server 2008	Microsoft ODBC MDAC 2.8
	Microsoft ODBC SNAC (Native Client)
Microsoft SQL Server 2008 R2	ODBC SAL Native Client 10
MySQL AB 5.0	MySQL C-API
MySQL AB 5.1	MySQL C-API
Oracle 10g R1 (10.1)	Oracle Net Client 10.1 (1)
Oracle 10g R2 (10.2)	Oracle Net Client 10.2 (1)
Oracle 11g R1 (11.1)	Oracle Net Client (11.1.0.6) (1)
Oracle 11g R2 (11.2)	Oracle Net Client 11.2 (1)
Sybase Adaptive Server Enterprise 15	Sybase Open Client 15
Sybase Adaptive Server Enterprise 15.5	Sybase Open Client 15.5
Sybase Adaptive Server Enterprise 15.7	Sybase Open Client 15.7 (3)
Sybase SQL Anywhere 12.0.1 (2)	Sybase SQL Anywhere ODBC Driver 12.0.1

- (1) Oracle Real Application Cluster (RAC) is supported.
- (2) Sybase ASA 12.0.1 is shipped with the product (full build).
- (3) Not supported for Audit Data Sources

Supported Data Sources for Crystal Reports

Provider Name	Data Connector	Unicode Support	Remarks
OLAP			
Hyperion Essbase Server 7.1.x	Hyperion Essbase API 7.1.x	Yes	
Hyperion System 9	Hyperion Essbase client 9.0		
	Hyperion Essbase client 9.2		
	Hyperion Essbase client 9.3		
Hyperion System 11	Hyperion Essbase client 11		

Provider Name	Data Connector	Unicode Support	Remarks
Microsoft SQL Server Analysis Services 2000 SP4	Microsoft SQL Server 2000 Analysis Services 8.0 OLE DB Provider SP4	Yes	
Microsoft SQL Server Analysis Services 2005 SP1	Microsoft SQL Server 2005 Analysis Services 9.0 OLE DB Provider SP1	Yes	
Microsoft SQL Server Analysis Services 2005 SP2	Microsoft SQL Server 2005 Analysis Services 9.0 OLE DB Provider SP2	Yes	
Microsoft SQL Server Analysis Services 2008	Microsoft SQL Server 2008 Analysis Services 10.0 OLE DB Provider	Yes	
RDBMS			
Generic JDBC Data Sources	Java 1.5	Yes	
Generic ODBC Data Sources	ODBC	Yes	
Generic OLEDB Data Sources	OLEDB	Yes	
GreenPlum Database 3.2	PostgreSQL ODBC 8.2	Yes	
	PostgreSQL JDBC 8.2	Yes	
GreenPlum Database 4.0	PostgreSQL ODBC 9.3		
	PostgreSQL JDBC 9.3		
HP Neoview 2.3.1	HP Neoview ODBC 2.3.1	Yes	
HP Neoview 2.4	HP Neoview ODBC Driver 2.4	Yes	
IBM DB2/UDB for iSeries 5.4	DB2 Connect 9.1		
	IBM iSeries Access (ODBC) 5.4		
	DB2 Universal JDBC Driver	Yes	
	DataDirect ODBC 5.3 (3)	Yes	
IBM DB2/UDB for NT/Unix/Linux 9.1 (1)	DB2 Client 9.1	Yes	
	DB2 JDBC 9.1	Yes	
	DB2 OLEDB 9.1	Yes	
	DataDirect ODBC 5.3 (3)	Yes	
IBM DB2/UDB for NT/Unix/Linux 9.5	DB2 Client 9.5		
	DB2 Universal JDBC Driver	Yes	
	DB2 OLEDB 9.5	Yes	
	DataDirect ODBC 5.3 (1)	Yes	
IBM DB2/UDB for NT/Unix/Linux 9.7	DB2 Client 9.7	Yes	
	DB2 Universal JDBC Driver	Yes	
IBM DB2/UDB for NT/Unix/Linux	DB2 Client 9.5	Yes	Compatible

Provider Name	Data Connector	Unicode Support	Remarks
9.8	DB2 Universal JDBC Driver	Yes	support with respect to IBM DB2/UDB for LUW 9.5
IBM/DB2/UDB for zSeries 8	DB2 Connect 8.2	Yes	
	DB2 Universal JDBC Driver (5)	Yes	
	DataDirect ODBC 5.3 (3)	Yes	
IBM DB2/UDB for zSeries 9.1	DB2 Connect 9.1	Yes	
IBM Informix Dynamic Server 10.0	IBM Informix ODBC SDK 2.90	Yes	
	DataDirect ODBC 5.3 (3)	Yes	
IBM Informix Dynamic Server 11.1	IBM Informix ODBC SDK 3.50	Yes	
	DataDirect ODBC 5.3 (3)	Yes	
	IDS Client 11.1		
IBM Informix Dynamic Server 11.5	IBM Informix ODBC SDK 3.50	Yes	
	IDS Client 11.5		
Ingres 2006	Ingres ODBC 3.5	Yes	
Microsoft Access 2003	DAO 3.6	Yes	
	Microsoft ODBC MDAC 2.8	Yes	
	Microsoft OLEDB MDAC 2.8	Yes	
Microsoft Access 2007	2007 Office System Driver: ODBC	Yes	
	2007 Office System Driver: OLEDB	Yes	
Microsoft Access 2010	Microsoft Office 2010 System Driver: ODBC	Yes	
	Microsoft Office 2010 System Driver: OLEDB	Yes	
Microsoft SQL Server 2000 SP4	JDBC SQL Server 2000	Yes	
	Microsoft ODBC MDAC 2.8	Yes	
	Microsoft OLEDB MDAC 2.8	Yes	
	DataDirect ODBC 5.3 (3)	Yes	
Microsoft SQL Server 2005 SP1/SP2/SP3	JDBC SQL Server 2005	Yes	
	Microsoft ODBC MDAC 2.8	Yes	
	Microsoft ODBC SNAC (Native Client)	Yes	
	Microsoft OLEDB MDAC 2.8	Yes	

Provider Name	Data Connector	Unicode Support	Remarks
	Microsoft OLEDB SNAC (Native Client)	Yes	
	DataDirect ODBC 5.3 (3)	Yes	
Microsoft SQL Server 2008	JDBC SQL Server 2008	Yes	
	Microsoft ODBC MDAC 2.8	Yes	
	Microsoft ODBC SNAC (Native Client)	Yes	
	Microsoft OLEDB MDAC 2.8	Yes	
	Microsoft OLEDB SNAC (Native Client)	Yes	
MySQL AB 5.0	MySQL AB ODBC 5.1.4	Yes	
	MySQL AB JDBC 5.0	Yes	
MySQL AB 5.1	MySQL AB ODBC 5.1	Yes	
	MySQL AB JDBC 5.1	Yes	
NCR Teradata V2R6.2	NCR Teradata ODBC 3.06 (TTU 8.2)	Yes	
	NCR Teradata JDBC 3.04 (TTU 8.2)	Yes	
Teradata 12.0	Teradata ODBC TTU 12.00.00.01	Yes	
	Teradata JDBC TTU 12.00.00.01	Yes	
Teradata 13.0	Teradata ODBC (TTU 13.00.00.2)	Yes	
	Teradata JDBC (TTU 13.00.00.7)	Yes	
Teradata 13.1	Teradata ODBC (TTU 13.1)		
	Teradata JDBC (TTU 13.1)		
Netezza NPS Server 4.0	Netezza ODBC 4.01	Yes	
	Netezza JDBC Access	Yes	
Netezza NPS Server 4.5	Netezza ODBC 4.5	Yes	
	Netezza JDBC 4.5	Yes	
Netezza Server 5.0	Netezza ODBC 5	Yes	
	Netezza JDBC 5	Yes	
Netezza Server 6.0	Netezza ODBC 5	Yes	
	Netezza JDBC 5	Yes	
Oracle 11g R2 (11.2)	JDBC Oracle 11G R2 (4)	Yes	
	ODBC Oracle 11G R2 (4)	Yes	

Provider Name	Data Connector	Unicode Support	Remarks
	OLEDB Oracle 11G R2 (4)	Yes	
	Oracle Native Client 11G R2 (4)	Yes	
Oracle 11g R1 (11.1)	JDBC Oracle 11G R1 (4)	Yes	
	ODBC Oracle 11G R1 (4)	Yes	
	OLEDB Oracle 11G R1 (4)	Yes	
	Oracle Native Client 11G R1 (4)	Yes	
	DataDirect ODBC 5.3 (3) (4)	Yes	
Oracle 10g R1 (10.1)	JDBC Oracle 10.1 (4)	Yes	
	ODBC Oracle 10.1 (4)	Yes	
	OLEDB Oracle 10.1 (4)	Yes	
	Oracle Native Client 10.1 (4)	Yes	
	DataDirect ODBC 5.3 (3) (4)	Yes	
Oracle 10g R2 (10.2)	JDBC Oracle 10.2 (4)	Yes	
	ODBC Oracle 10.2 (4)	Yes	
	OLEDB Oracle 10.2 (4)	Yes	
	Oracle Native Client 10.2 (4)	Yes	
	DataDirect ODBC 5.3 (3) (4)	Yes	
Progress OpenEdge 10.0B	OpenEdge SQL 10.0B ODBC	Yes	
	OpenEdge SQL 10.0B JDBC	Yes	
PostgreSQL 8.2	PostgreSQL 8.2 ODBC	Yes	
	PostgreSQL 8.2 JDBC	Yes	
Sybase Adaptive Server Enterprise 15	Sybase Open Client 15		
Sybase Adaptive Server Enterprise 15.5	Sybase Open Client 15.5		
Sybase Adaptive Server Enterprise 15.7	Sybase Open Client 15.7		
Sybase IQ 15.1	Sybase ODBC for Sybase IQ 15.1		
Sybase IQ 15.2	Sybase ODBC for Sybase IQ 15.2		
Sybase IQ 15.3	Sybase ODBC for Sybase IQ 15.3		
Sybase IQ 15.4	Sybase ODBC for Sybase IQ 15.4		
Sybase SQL Anywhere 12.0.1	SQL Anywhere ODBC Driver 12.0.1		

Provider Name	Data Connector	Unicode Support	Remarks
Technology			
ADO. NET	MS .NET Framework 1.0	Yes	
	MS .NET Framework 1.1	Yes	
	MS .NET Framework 2.0	Yes	
COM	N/A	Yes	
Microsoft Excel 2000	DAO 3.6	Yes	
	ODBC	Yes	
	OLEDB	Yes	
Microsoft Excel 2003	DAO 3.6	Yes	
	ODBC	Yes	
	OLEDB	Yes	
Microsoft Excel 2007 (2)	ODBC		
	OLEDB		
Microsoft Exchange 2000	Crystal Reports Outlook/Exchange driver		
Microsoft Exchange 2003	Crystal Reports Outlook/Exchange driver	Yes	
Field Definitions	N/A	Yes	
Java Bean	JDK 1.5	Yes	
Salesforce.com	Crystal Reports Salesforce.com driver	Yes	
XML	JDK 1.5	Yes	

- (1) IBM DB2 v9.1 requires a minimum of Windows 2003 SP1 to be the Operating System for Windows deployments.
- (2) DAO technology cannot be used to access the Microsoft Office 2007 file formats: Microsoft Access 2007 .accdb, Microsoft Excel 2007 .xlsx (XML) and .xlsb (Binary). These file formats are supported via ODBC and OLEDB.
- (3) DataDirect drivers for Crystal Reports are available from Business Objects. See the Crystal Reports Start Page for download details.
- (4) Oracle Real Application Cluster (RAC) is supported.
- (5) Supported for all operating systems listed in the Supported Operating Systems section, except Linux (Red Hat/SUSE).

Crystal Reports Reporting Data Sources Supported for Scheduling Only

Provider Name	Data Connector	Unicode Support
RDBMS		
IBM Informix Dynamic Server 10.0	IDS Client 10.0	
Technology		
ACT 6	ACT 6	
Borland Database Engine 5.1	BDE 5.1	
Microsoft Exchange 5.5	Crystal Reports Outlook/Exchange driver	
File System	N/A	Yes
Lotus Notes 6	ODBC Lotus Notes 6	Yes
Lotus Notes 7	ODBC Lotus Notes 7	Yes
Microsoft IIS Log	N/A	
Microsoft Outlook 2000	Microsoft Office 2000	
Microsoft Outlook 2003	Microsoft Office 2003	
Microsoft Outlook 2007	Microsoft Office 2007	
Microsoft Outlook 2010	Microsoft Office 2010	
NT Event Log	N/A	
Pervasive SQL 2000	ODBC Pervasive 2000	Yes
	Pervasive SQL Client 2000	
Pervasive SQL 8	ODBC Pervasive 8	Yes
Pervasive SQL 10	ODBC Pervasive 10	Yes
	OLEDB Pervasive 10	Yes
	JDBC Pervasive 10	Yes
	Pervasive SQL Client 10	Yes
Salesforce.com	Crystal Reports Salesforce.com driver	
Text	DataDirect ODBC 5.3	Yes
Web Log	N/A	
Xbase	N/A	

Scheduled and on demand reporting

Schedule only indicates that the data connectivity is assumed to be single-threaded. Customers are recommended to use these with scheduled Crystal Reports instances; as concurrent on-demand reports will be handled serially.

Other connectivity are assumed to be multi-threaded and suitable to be used for both scheduled and on-demand Crystal Reports instances as concurrent on-demand reports will be handled in parallel.

Generic ODBC, OLEDB and JDBC: Limitation

(OLEDB and JDBC Supported for Crystal Reports Only)

(ODBC Supported for Crystal Reports, Desktop Intelligence and Web Intelligence Only)

Database server, Client and ODBC/JDBC/OLEDB driver used must support multiple threads.

Generic JDBC: 3rd Party JDBC Type 4-compliant drivers may potentially have issues as not all combinations have been tested, but are supported for *relational database access* as a general rule.

Generic ODBC: 3rd Party ODBC Level 2-compliant Drivers may potentially have issues as not all combinations have been tested yet, but are supported as a general rule.

Support for Integration Option for Microsoft SharePoint software

For the latest information on platforms required by Integration Option for Microsoft SharePoint software, please visit the support area of the website:

<https://www.sdn.sap.com/irj/scn/index?rid=/library/uuid/d0034f93-3afc-2b10-248f-d91849e60f77> .

Other Tools

Reverse Proxy Servers

- Apache HTTP Server 2.2
- WebSEAL 6.0 (from IBM Tivoli Access Manager)
- Microsoft Internet Security and Acceleration (ISA) Server 2006

LDAP Directory

- IBM Tivoli Directory Server 6.0
- IBM Tivoli Directory Server 6.1
- IBM Tivoli Directory Server 6.2
- **IBM Tivoli Directory Server 6.3**
- Lotus Domino Directory 6.0.2
- Lotus Domino Directory 6.5.3
- Microsoft Active Directory Application Mode 2003 (ADAM)
- Microsoft Active Directory Application Mode 2003 (ADAM) SP1
- Microsoft Active Directory Application Mode 2008 (ADAM)
- Novell eDirectory 8.7.3
- Novell eDirectory 8.8
- Oracle Internet Directory 10gR3 (10.1.3)

- **Oracle Internet Directory 11g (11.1.1)**
- Sun Java System Directory Server 5.2
- Sun Java System Directory Server Enterprise 6.0

Active Directory

- Microsoft Active Directory 2000
- Microsoft Active Directory 2003
- Microsoft Active Directory 2008(including LDS Support)

Access Management

- eTrust (Computer Associates) Siteminder 12.0
- eTrust (Netegrity) Siteminder 6.0

Office

- Microsoft Office 2010
- Microsoft Office 2007 SP2
- Microsoft Office 2003 SP3
- Microsoft Office XP SP3
- Microsoft Office XP SP2

Admin Platform

- Citrix Presentation Server 4

Product/Language Support on Citrix

- Citrix is supported for Crystal Reports Server 2008 V1 desktop products only.
- Citrix is not supported for Chinese and Korean.

Reader

- Acrobat Reader 7.x
- Acrobat Reader 8.1.2
- Acrobat Reader 9.0
- Acrobat Reader 9.1.x - 9.2.x Compatible Support* with respect to Acrobat Reader 9.0
- Acrobat Reader 9.3

***Compatible Support** description in *Platforms and Technologies Support Policy Guidelines*

.NET Framework

- .NET 1.1
- .NET 2.0
- .NET 3.0
- .NET 3.5

VMWare ESX Support

- For more information on VMWare ESX Support, please refer the Statement of Support for VMWare ESX Server in this link.

<https://www.sdn.sap.com/irj/boc/index?rid=/library/uuid/e02d08b0-aa4a-2b10-a38f-b76ae2f0de20>

File Transfer Protocol (FTP) Requirements

The following are the guidelines that must be supported by any FTP Server being used in conjunction with Crystal Reports Server 2008 V1 as a scheduling destination.

- FTP server needs to support using “.” as a directory
- FTP server needs to support specifying a directory with a trailing “/”
- FTP server needs to support filenames that are 20+ characters (if destination file names are generated randomly by Crystal Reports Server 2008 V1.)
- FTP server needs to support specifying file names starting with a “~” character (if destination file names are generated randomly by Crystal Reports Server 2008 V1.)

Related Content

<http://help.sap.com>

For more information, visit the [Business Objects homepage](#).

Copyright

© Copyright 2012 SAP AG. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP AG. The information contained herein may be changed without prior notice.

Some software products marketed by SAP AG and its distributors contain proprietary software components of other software vendors.

Microsoft, Windows, Excel, Outlook, and PowerPoint are registered trademarks of Microsoft Corporation.

IBM, DB2, DB2 Universal Database, System i, System i5, System p, System p5, System x, System z, System z10, System z9, z10, z9, iSeries, pSeries, xSeries, zSeries, eServer, z/VM, z/OS, i5/OS, S/390, OS/390, OS/400, AS/400, S/390 Parallel Enterprise Server, PowerVM, Power Architecture, POWER6+, POWER6, POWER5+, POWER5, POWER, OpenPower, PowerPC, BatchPipes, BladeCenter, System Storage, GPFS, HACMP, RETAIN, DB2 Connect, RACF, Redbooks, OS/2, Parallel Sysplex, MVS/ESA, AIX, Intelligent Miner, WebSphere, Netfinity, Tivoli and Informix are trademarks or registered trademarks of IBM Corporation.

Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.

Adobe, the Adobe logo, Acrobat, PostScript, and Reader are either trademarks or registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Oracle is a registered trademark of Oracle Corporation.

UNIX, X/Open, OSF/1, and Motif are registered trademarks of the Open Group.

Citrix, ICA, Program Neighborhood, MetaFrame, WinFrame, VideoFrame, and MultiWin are trademarks or registered trademarks of Citrix Systems, Inc.

HTML, XML, XHTML and W3C are trademarks or registered trademarks of W3C®, World Wide Web Consortium, Massachusetts Institute of Technology.

Java is a registered trademark of Oracle Corporation.

JavaScript is a registered trademark of Oracle Corporation, used under license for technology invented and implemented by Netscape.

SAP, R/3, SAP NetWeaver, Duet, PartnerEdge, ByDesign, SAP Business ByDesign, and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and other countries.

Business Objects and the Business Objects logo, BusinessObjects, Crystal Reports, Crystal Decisions, Web Intelligence, Xcelsius, and other Business Objects products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Business Objects S.A. in the United States and in other countries. Business Objects is an SAP company.

All other product and service names mentioned are the trademarks of their respective companies. Data contained in this document serves informational purposes only. National product specifications may vary.

These materials are subject to change without notice. These materials are provided by SAP AG and its affiliated companies ("SAP Group") for informational purposes only, without representation or warranty of any kind, and SAP Group shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.