

Crystal Reports 2008 Server Embedded V2 for Windows – Supported Platforms



Applies to:

Crystal Reports 2008 Server Embedded V2 for Windows.

Summary

This document contains information specific to platforms and configurations for the Crystal Reports 2008 Server Embedded V2 release. For the latest information on updates to this document, please visit [Business Objects Articles](#).

NOTE: Anything that is highlighted using red font indicates that it is an update, addition or correction made after the original release of this document.

Table of Contents

| | |
|--|----|
| Products | 3 |
| Languages..... | 3 |
| Supported Operating Systems..... | 3 |
| Central Configuration Manager Only | 3 |
| Crystal Reports Server Embedded 2008 V2..... | 4 |
| Minimum Screen Resolution..... | 4 |
| Minimum Hardware Requirements | 4 |
| Supported Application Servers | 5 |
| JDK Version Support Policy..... | 5 |
| Specific Patches Required for Oracle Application Server..... | 5 |
| HTTP Servers..... | 5 |
| Supported Browsers..... | 6 |
| Data Source Middleware Support..... | 6 |
| ODBC DSN Support..... | 6 |
| Supported Reporting Data Sources | 7 |
| Generic ODBC, OLEDB and JDBC: Limitation | 12 |
| Other Tools | 12 |
| Office | 12 |
| Reader | 12 |
| .NET Framework | 12 |
| Copyright | 13 |

Products

Crystal Report Server Embedded 2008 V2

Languages

- Chinese Simplified
- Chinese Traditional
- Czech
- Danish
- Dutch
- English
- Finnish
- French
- German
- Italian
- Japanese
- Korean
- Norwegian
- Polish
- Portuguese (Brazil)
- Spanish
- Swedish
- Russian
- Thai

Supported Operating Systems

Central Configuration Manager Only

- Windows XP SP2 Professional
- Windows XP SP3 Professional
- Windows Vista (1)
- Windows Vista SP1 (1)
- Windows Server 2003 SP2 (1) (2)
- Windows Server 2003 R2 (1) (2)
- Windows Server 2008 (1) (2)

(1) 32-bit and 64-bit O/S editions supported.

(2) Data Center Edition, Enterprise Edition, Standard Edition, Web Edition

Crystal Reports Server Embedded 2008 V2

- Windows Server 2003 SP2 [\(1\)](#) [\(2\)](#)
- Windows Server 2003 R2 [\(1\)](#) [\(2\)](#)
- Windows Server 2008 [\(1\)](#) [\(2\)](#)

[\(1\)](#) 32-bit and 64-bit O/S editions supported

[\(2\)](#) Data Center Edition, Enterprise Edition, Standard Edition, Web Edition

Minimum Screen Resolution

- Screen resolution of [1024] x [768] is recommended.

Minimum Hardware Requirements

- 1.8 GHz Pentium 4-class processor
- 1 GB RAM
- Hard disk space availability (without language pack):
 - 700 MB
- Hard disk space availability (with language pack):
 - 1.0 GB

Note: Crystal Reports Server Embedded 2008 is supported on 32-bit and 64-bit versions of the Windows operating system (running on either x86 or x64 CPUs made by AMD and Intel).

Supported Application Servers

| Application Servers | JDK |
|--|------------------------------|
| JBoss 4.0.4 | JDK 1.5.0_xx |
| Microsoft IIS 7.0 | N/A |
| Microsoft IIS 6.0 | N/A |
| Oracle Application Server 10gR3 (10.1.3) (1) | JDK 1.5.0_xx |
| SAP NetWeaver 7.0 (2) | JDK 1.4.2_xx |
| SAP NetWeaver 7.1 | JDK 1.5.0_xx |
| Tomcat 5.5 | JDK 1.5.0_xx |
| Tomcat 6.0.18 | JDK 1.5.0_xx |
| WebLogic 9.2 MP2 | JDK 1.5.0_xx JRockit 5.0+ |
| WebLogic 10 | JDK 1.5.0_xx JRockit 5.0+ |
| WebLogic 10.3 | JDK 1.6.0_xx JRockit 6.0+ |
| WebSphere Application Server 6.1.0.7 | JDK 1.5.0_xx |
| WebSphere Application Server 7 (2) | JDK 1.6.0_xx |
| WebSphere Application Server Community Edition 2.0 | JDK 1.5.0_xx |

Note: Native 64-bit Java Application Servers are supported.

JDK Version Support Policy

JDK major versions are specified to ensure the use of correct version when there are multiple choices provided by the vendor. Business Objects tests and supports any _xx release installed with a given application server.

Specific Patches Required for Oracle Application Server

See release notes for exact patch level support.

HTTP Servers

Any supported by Application Server vendor.

Supported Browsers

| Browser OS | Browser | JVM |
|-------------------|------------------|----------------------------------|
| Apple Mac OS X | Firefox 3.0 | Apple 1.5.0_xx Apple 1.6.0_xx |
| | Firefox 2.0 | Apple 1.5.0_xx Apple 1.6.0_xx |
| | Safari 3.2.x (1) | Apple 1.5.0_xx Apple 1.6.0_xx |
| Microsoft Windows | Firefox 3.0 | Sun 1.5.0_xx Sun 1.6.0_02+ |
| | Firefox 2.0 | Sun 1.5.0_xx Sun 1.6.0_02+ |
| | IE 6.0 SP2 | Sun 1.5.0_xx Sun 1.6.0_02+ |
| | IE 7.0 | Sun 1.5.0_xx Sun 1.6.0_02+ |
| | IE 8.0 (2) | Sun 1.5.0_xx Sun 1.6.0_xx |

(1) Not supported by Performance Management.

(2) Only Compatibility Mode supported.

Data Source Middleware Support

Crystal Reports Server Embedded 2008 is a 32-bit native product are designed to use 32-bit data source middleware connectivity.

ODBC DSN Support

BusinessObjects products use the 32-bit ODBC registry on all versions of Windows. To administer 32-bit ODBC DSNs on 64-bit versions of Windows, run the 32-bit ODBC Administrator, located here:
C:\Windows\SysWOW64\odbcad32.exe

Supported Reporting Data Sources

| Provider Name | Data Connector | Unicode Support |
|---|---|-----------------|
| OLAP | | |
| Hyperion Essbase Server 7.1.x | Hyperion Essbase API 7.1.x | Yes |
| Hyperion System 9 | Hyperion Essbase client 9.0 | |
| | Hyperion Essbase client 9.2 | |
| | Hyperion Essbase client 9.3 | |
| Microsoft SQL Server Analysis Services 2000 SP4 | Microsoft SQL Server 2000 Analysis Services 8.0 OLE DB Provider SP4 | Yes |
| Microsoft SQL Server Analysis Services 2005 SP1 | Microsoft SQL Server 2005 Analysis Services 9.0 OLE DB Provider SP1 | Yes |
| Microsoft SQL Server Analysis Services 2005 SP2 | Microsoft SQL Server 2005 Analysis Services 9.0 OLE DB Provider SP2 | Yes |
| Microsoft SQL Server Analysis Services 2008 | Microsoft SQL Server 2008 Analysis Services 10.0 OLE DB Provider | Yes |
| RDBMS | | |
| Generic JDBC Data Sources | Java 1.5 | Yes |
| Generic ODBC Data Sources | ODBC | Yes |
| Generic OLEDB Data Sources | OLEDB | Yes |
| GreenPlum Database 3.2 | PostgreSQL ODBC 8.2 | Yes |
| | PostgreSQL JDBC 8.2 | Yes |
| HP Neoview 2.3.1 | HP Neoview ODBC 2.3.1 | Yes |
| HP Neoview 2.4 | HP Neoview ODBC Driver 2.3.1 | Yes |
| IBM DB2/UDB for iSeries 5.3 | DB2 Client 8.2 | Yes |
| | IBM iSeries Access (ODBC) 5.3 | Yes |
| | DB2 JDBC Universal Driver | Yes |
| | IBM iSeries Access (OLEDB) 5.3 | Yes |
| | DataDirect ODBC 5.3 (3) | Yes |
| IBM DB2/UDB for iSeries 5.4 | DB2 Connect 9.1 | |
| | IBM iSeries Access (ODBC) 5.4 | |

| Provider Name | Data Connector | Unicode Support |
|---------------------------------------|---------------------------------|-----------------|
| | DB2 Universal JDBC Driver | Yes |
| | DataDirect ODBC 5.3 (3) | Yes |
| IBM DB2/UDB for NT/Unix/Linux 8.2 | DB2 Client 8.2 | Yes |
| | DB2 JDBC 8.2 | Yes |
| | DB2 OLEDB 8.2 | Yes |
| | DataDirect ODBC 5.3 (3) | Yes |
| IBM DB2/UDB for NT/Unix/Linux 9.1 (1) | DB2 Client 9.1 | Yes |
| | DB2 JDBC 9.1 | Yes |
| | DB2 OLEDB 9.1 | Yes |
| | DataDirect ODBC 5.3 (3) | Yes |
| IBM DB2/UDB for NT/Unix/Linux 9.5 | DB2 Client 9.5 | |
| | DB2 Universal JDBC Driver | Yes |
| | DB2 OLEDB 9.5 | Yes |
| | DataDirect ODBC 5.3 (1) | Yes |
| IBM/DB2/UDB for zSeries 8 | DB2 Client 8.2 | Yes |
| | DB2 Universal JDBC Driver (5) | Yes |
| | DataDirect ODBC 5.3 (3) | Yes |
| IBM DB2/UDB for zSeries 9.1 | DB2 Client 9.1 | Yes |
| IBM Informix Dynamic Server 10.0 | IBM Informix ODBC SDK 2.90 | Yes |
| | DataDirect ODBC 5.3 (3) | Yes |
| IBM Informix Dynamic Server 11.1 | IBM Informix ODBC SDK 3.50 | Yes |
| | DataDirect ODBC 5.3 (3) | Yes |
| IBM Informix Dynamic Server 11.5 | IBM Informix ODBC SDK 3.50 | Yes |
| | DataDirect ODBC 5.3 (3) | Yes |
| Ingres 2006 | Ingres ODBC 3.5 | Yes |
| | DAO 3.6 | Yes |
| Microsoft Access 2003 | Microsoft ODBC MDAC 2.8 | Yes |
| | Microsoft OLEDB MDAC 2.8 | Yes |
| Microsoft Access 2007 | 2007 Office System Driver: ODBC | Yes |

| Provider Name | Data Connector | Unicode Support |
|---------------------------------------|--------------------------------------|-----------------|
| | 2007 Office System Driver: OLEDB | Yes |
| Microsoft SQL Server 2000 SP4 | JDBC SQL Server 2000 | Yes |
| | Microsoft ODBC MDAC 2.8 | Yes |
| | Microsoft OLEDB MDAC 2.8 | Yes |
| | DataDirect ODBC 5.3 (3) | Yes |
| Microsoft SQL Server 2005 RTM/SP1/SP2 | JDBC SQL Server 2005 | Yes |
| | Microsoft ODBC MDAC 2.8 | Yes |
| | Microsoft ODBC SNAC (Native Client) | Yes |
| | Microsoft OLEDB MDAC 2.8 | Yes |
| | Microsoft OLEDB SNAC (Native Client) | Yes |
| | DataDirect ODBC 5.3 (3) | Yes |
| Microsoft SQL Server 2008 | JDBC SQL Server 2008 | Yes |
| | Microsoft ODBC MDAC 2.8 | Yes |
| | Microsoft ODBC SNAC (Native Client) | Yes |
| | Microsoft OLEDB MDAC 2.8 | Yes |
| | Microsoft OLEDB SNAC (Native Client) | Yes |
| MySQL AB 5.0 | MySQL AB ODBC 5.1.4 | Yes |
| | MySQL AB JDBC 5.0 | Yes |
| NCR Teradata V2R6.2 | NCR Teradata ODBC 3.06 (TTU 8.2) | Yes |
| | NCR Teradata JDBC 3.04 (TTU 8.2) | Yes |
| Teradata V12.0 | Teradata ODBC TTU 12.00.00.01 | Yes |
| | Teradata JDBC TTU 12.00.00.01 | Yes |
| Netezza NPS Server 3.1 | Netezza ODBC 3.1 | Yes |
| | Netezza JDBC Access | Yes |
| Netezza NPS Server 4.0 | Netezza ODBC 4.01 | Yes |
| | Netezza JDBC Access | Yes |

| Provider Name | Data Connector | Unicode Support |
|--|---------------------------------|-----------------|
| Netezza NPS Server 4.5 | Netezza ODBC 4.5 | Yes |
| | Netezza JDBC 4.5 | Yes |
| Oracle 11g R1 (11.1) | JDBC Oracle 11G R1 (4) | Yes |
| | ODBC Oracle 11G R1 (4) | Yes |
| | OLEDB Oracle 11G R1 (4) | Yes |
| | Oracle Native Client 11G R1 (4) | Yes |
| | DataDirect ODBC 5.3 (3) (4) | Yes |
| Oracle 10g R1 (10.1) | JDBC Oracle 10.1 (4) | Yes |
| | ODBC Oracle 10.1 (4) | Yes |
| | OLEDB Oracle 10.1 (4) | Yes |
| | Oracle Native Client 10.1 (4) | Yes |
| | DataDirect ODBC 5.3 (3) (4) | Yes |
| Oracle 10g R2 (10.2) | JDBC Oracle 10.2 (4) | Yes |
| | ODBC Oracle 10.2 (4) | Yes |
| | OLEDB Oracle 10.2 (4) | Yes |
| | Oracle Native Client 10.2 (4) | Yes |
| | DataDirect ODBC 5.3 (3) (4) | Yes |
| Oracle 9.2 | JDBC Oracle 9.2 | Yes |
| | ODBC Oracle 9.2 | Yes |
| | OLEDB Oracle 9.2 | Yes |
| | Oracle Native Client 9.2 | Yes |
| | DataDirect ODBC 5.3 (3) | Yes |
| Progress OpenEdge 10.0B | OpenEdge SQL 10.0B ODBC | Yes |
| | OpenEdge SQL 10.0B JDBC | Yes |
| PostgreSQL 8.2 | PostgreSQL 8.2 ODBC | Yes |
| | PostgreSQL 8.2 JDBC | Yes |
| Sybase Adaptive Server Enterprise 12.5 | JDBC Sybase 12.5 | Yes |
| | ODBC Sybase 12.5 | Yes |
| | Sybase Open Client 12.5 | |
| | DataDirect ODBC 5.3 (3) | Yes |

| Provider Name | Data Connector | Unicode Support |
|--------------------------------------|---|-----------------|
| Sybase Adaptive Server Enterprise 15 | Sybase Open Client 15 | |
| Technology | | |
| ADO. NET | MS .NET Framework 1.0 | Yes |
| | MS .NET Framework 1.1 | Yes |
| | MS .NET Framework 2.0 | Yes |
| COM | N/A | Yes |
| Microsoft Excel 2000 | DAO 3.6 | Yes |
| | ODBC | Yes |
| | OLEDB | Yes |
| Microsoft Excel 2003 | DAO 3.6 | Yes |
| | ODBC | Yes |
| | OLEDB | Yes |
| Microsoft Excel 2007 (2) | ODBC | |
| | OLEDB | |
| Microsoft Exchange 2000 | Crystal Reports Outlook/Exchange driver | |
| Microsoft Exchange 2003 | Crystal Reports Outlook/Exchange driver | Yes |
| Field Definitions | N/A | Yes |
| Java Bean | JDK 1.5 | Yes |
| Salesforce.com | Crystal Reports Salesforce.com driver | Yes |
| XML | JDK 1.5 | Yes |

(1) IBM DB2 v9.1 requires a minimum of Windows 2003 SP1 to be the Operating System for Windows deployments.

(2) DAO technology cannot be used to access the Microsoft Office 2007 file formats: Microsoft Access 2007 .accdb, Microsoft Excel 2007 .xlsx (XML) and .xlsb (Binary). These file formats are supported via ODBC and OLEDB.

(3) DataDirect drivers for Crystal Reports are available from Business Objects. See the Crystal Reports Start Page for download details.

(4) Oracle Real Application Cluster (RAC) is supported.

(5) Supported for all operating systems listed in the Supported Operating Systems section, except Linux (Red Hat/SUSE).

Generic ODBC, OLEDB and JDBC: Limitation

Database server, Client and ODBC/JDBC/OLEDB driver used must support multiple threads.

Generic JDBC: 3rd Party JDBC Type 4-compliant drivers may potentially have issues as not all combinations have been tested, but are supported for *relational database access* as a general rule.

Generic ODBC: 3rd Party ODBC Level 2-compliant Drivers may potentially have issues as not all combinations have been tested yet, but are supported as a general rule.

Other Tools

Office

- Microsoft Office 2007 SP1
- Microsoft Office 2003 SP3
- Microsoft Office XP SP3
- Microsoft Office XP SP2

Reader

- Acrobat Reader 8.1.2
- Acrobat Reader 9.0

.NET Framework

- .NET 1.1
- .NET 2.0
- .NET 3.0
- .NET 3.5

Copyright

© 2008 SAP AG. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP AG. The information contained herein may be changed without prior notice.

Some software products marketed by SAP AG and its distributors contain proprietary software components of other software vendors.

Microsoft, Windows, Outlook, and PowerPoint are registered trademarks of Microsoft Corporation.

IBM, DB2, DB2 Universal Database, OS/2, Parallel Sysplex, MVS/ESA, AIX, S/390, AS/400, OS/390, OS/400, iSeries, pSeries, xSeries, zSeries, System i, System i5, System p, System p5, System x, System z, System z9, z/OS, AFP, Intelligent Miner, WebSphere, Netfinity, Tivoli, Informix, i5/OS, POWER, POWER5, POWER5+, OpenPower and PowerPC are trademarks or registered trademarks of IBM Corporation.

Adobe, the Adobe logo, Acrobat, PostScript, and Reader are either trademarks or registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Oracle is a registered trademark of Oracle Corporation.

UNIX, X/Open, OSF/1, and Motif are registered trademarks of the Open Group.

Citrix, ICA, Program Neighborhood, MetaFrame, WinFrame, VideoFrame, and MultiWin are trademarks or registered trademarks of Citrix Systems, Inc.

HTML, XML, XHTML and W3C are trademarks or registered trademarks of W3C®, World Wide Web Consortium, Massachusetts Institute of Technology.

Java is a registered trademark of Sun Microsystems, Inc.

JavaScript is a registered trademark of Sun Microsystems, Inc., used under license for technology invented and implemented by Netscape.

MaxDB is a trademark of MySQL AB, Sweden.

SAP, R/3, mySAP, mySAP.com, xApps, xApp, SAP NetWeaver, and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and in several other countries all over the world. All other product and service names mentioned are the trademarks of their respective companies. Data contained in this document serves informational purposes only. National product specifications may vary.

These materials are subject to change without notice. These materials are provided by SAP AG and its affiliated companies ("SAP Group") for informational purposes only, without representation or warranty of any kind, and SAP Group shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

These materials are provided "as is" without a warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose, or non-infringement.

SAP shall not be liable for damages of any kind including without limitation direct, special, indirect, or consequential damages that may result from the use of these materials.

SAP does not warrant the accuracy or completeness of the information, text, graphics, links or other items contained within these materials. SAP has no control over the information that you may access through the use of hot links contained in these materials and does not endorse your use of third party web pages nor provide any warranty whatsoever relating to third party web pages.

Any software coding and/or code lines/strings ("Code") included in this documentation are only examples and are not intended to be used in a productive system environment. The Code is only intended better explain and visualize the syntax and phrasing rules of certain coding. SAP does not warrant the correctness and completeness of the Code given herein, and SAP shall not be liable for errors or damages caused by the usage of the Code, except if such damages were caused by SAP intentionally or grossly negligent.