

BusinessObjects Enterprise XI Release 2 SP2 for AIX

Supported Platforms

Overview

This document lists specific platforms and configurations for the BusinessObjects Enterprise XI Release 2 SP2 for AIX.

Contents

INTRODUCTION	3
PRODUCTS	3
<i>Server Products</i>	3
<i>Desktop Products</i>	3
LANGUAGES	4
OPERATING SYSTEMS	4
MINIMUM HARDWARE REQUIREMENTS ON AIX	4
PATCH LEVEL FOR AIX 5.2	4
PATCH LEVEL FOR AIX 5.3	5
SUPPORTED LOCALES	5
APPLICATION SERVERS	6
Application Server Incremental Release Support Policy	6
JDK Version Support Policy	7
Support of WebSphere and WebLogic Editions	7
WebSphere 5.1.1.4 is not supported	7
HTTP SERVERS	7
PORTAL SERVERS	7
Portal Server minor release support policy	7
SUPPORTED BROWSERS	7
Restriction for Crystal Reports Explorer	8
SVG and Flash support for EPM.....	8
CMS DATABASE (REPOSITORY) & AUDIT DATABASES	8

- PERFORMANCE MANAGEMENT REPOSITORY DATABASES 8**
- WEB INTELLIGENCE, DESKTOP INTELLIGENCE AND PERFORMANCE
MANAGEMENT DATA SOURCES..... 9**
- SUPPORTED DATA SOURCES FOR SET ANALYSIS 11**
- CRYSTAL REPORTS REPORTING DATA SOURCES 12**
 - Generic ODBC, OLEDB and JDBC: Limitation 14
 - Scheduled and On-demand Reporting 15
- OLAP CONNECTIVITY FOR OLAP INTELLIGENCE 15**
 - Support of SAP BW Server 15
- LDAP DIRECTORY 15**
- ACCESS MANAGEMENT 16**
- FILE TRANSFER PROTOCOL (FTP) REQUIREMENTS 16**
- FINDING MORE INFORMATION 16**

Introduction

This document is based on the Platforms.txt that is located in the root directory of the BusinessObjects Enterprise XI Release 2 for AIX installation disk (CD). However, after the original release of this Platforms.txt this version of the document may be intermittently updated with the latest information on our [supported platforms](#) web site.

NOTE

Anything that is highlighted using red font indicates that it is an update, addition or correction made after the original release of the Platforms.txt that shipped with this product.

Products

Server Products

- BusinessObjects Enterprise XI R2
 - BusinessObjects Web Intelligence XI R2
 - Crystal Reports XI R2
 - BusinessObjects Dashboard Manager XI R2
 - BusinessObjects OLAP Intelligence (Server Components) XI R2
 - BusinessObjects Performance Manager XI R2
 - BusinessObjects Predictive Analysis XI R2
 - BusinessObjects Process Analysis XI R2
 - BusinessObjects Set Analysis XI (Server Components) R2
 - BusinessObjects Encyclopedia XI R2
 - BusinessObjects Process Tracker XI R2 (1)
- (1) Process Tracker product is installed separately. Note that BusinessObjects Enterprise Premium XI Release 2 includes Process Tracker.

Desktop Products

Desktop products are only available on Windows. Please go to our [supported platforms](#) web site and refer to the platforms document corresponding to this operating system for a detailed list of the supported languages and platforms.

Languages

- Chinese Simplified
- Chinese Traditional
- Dutch
- English
- French
- German
- Italian
- Japanese
- Korean
- Polish(1)
- Portuguese (Brazil)
- Russian(1)
- Spanish
- Swedish

(2) Polish and Russian language support available only with the full BusinessObjects Enterprise XI Release 2 SP2 Suite release.

Operating Systems

- AIX 5.2
- AIX 5.3

Minimum Hardware Requirements on AIX

- AIX 5.2, AIX 5.3
- 1 GB RAM
- 4.75 GB hard drive for BusinessObjects Enterprise without Performance management
- 6.5 GB hard drive for complete install (BusinessObjects Enterprise and Performance management)
- 150 MB BusinessObjects Productivity Pack Suite

Patch Level for AIX 5.2

Required minimum operating system install for AIX 5L plus:

- Maintenance Level 5
- November 2003 C++ Runtime PTF => xIC.aix50.rte 6.0.0.14 (Note that this PTF requires Runtime of Level 6.0.0.0 to be installed prior to installing the PTF)
- APAR IY75115

Patch Level for AIX 5.3

Required minimum operating system install for AIX 5L plus:

- Maintenance Level 1
 - November 2003 C++ Runtime PTF => xIC.aix50.rte 6.0.0.14* (Note that this PTF requires Runtime of Level 6.0.0.0 to be installed prior to installing the PTF)
- (3) Except for double byte character set locales in which ONLY the xIC.aix50.rte 6.0.0.14 runtime library is currently supported because of a compatibility issue with library revisions higher than 6.0.0.14. Revisions higher than 6.0.0.14 could cause unexpected string conversion behavior (such as universe names corruption in the File repository).

Higher patches are supported by Business Objects.

Supported Locales

Language	AIX Locales
English	EN_US.UTF-8
French	FR_FR.UTF-8
Japanese	JA_JP.UTF-8
Simplified Chinese	ZH_CN.UTF-8
German	DE_DE.UTF-8
Italian	IT_IT.UTF-8
Spanish	ES_ES.UTF-8
Dutch	NL_NL.UTF-8
Korean	KO_KR.UTF-8
Traditional Chinese	ZH_HK.UTF-8
	ZH_TW.UTF-8
Swedish	SV_SE.UTF-8

Language	AIX Locales
Polish	PL_PL.UTF-8
Portuguese	PT_BR.UTF-8
Russian	RU_RU.UTF-8

Please consult your UNIX distribution locale documentation on how to install these on your operating system.

Application Servers

Application Servers	JDK
OAS 10G Rel.2 (10.1.2) (1)	1.4.2_x(5)
Tomcat 5.0.27	JDK 1.4.2_13+(5)
	JDK 1.5.0_xx
WebLogic 8.1 SP4	IBM JDK 1.4.2+ (5)
WebLogic 9.2 (3) (4)	IBM JDK 1.5.0+
WebSphere 5.1.0.4	1.4.1_x(5)
WebSphere 5.1.1.0 (2)	1.4.2_x(5)
WebSphere 6.0.0.2	1.4.2_x(5)

(1) Not supported for Performance Management and Process Tracker at this time. Planned post XI R2 General Availability. Only Enterprise Edition is supported. See release notes for patch levels for other products.

(2) EPM products support WebSphere 5.1.1.6 and later versions

(3) WebLogic 9.2 running on AIX 5.3, ML3 (or higher MLs) is required.

(4) WebLogic 9.2 running on AIX 5.2, ML7 (or higher MLs) is required.

(5) Note: Due to security vulnerabilities identified by the SANS Institute in JDK/JRE versions 1.4.2_12 and lower, BusinessObjects Enterprise XI Release 2 SP2 will ship with 1.4.2_13. It is recommended that any JVM be updated to a minimum of 1.4.2_13.

Application Server Incremental Release Support Policy

Specified application servers versions have been successfully tested by Business Objects. Incremental releases of the specified versions defined by the last number in the application server name will be supported as they are made available, but may not have been tested by Business Objects. Exceptions in support will be documented.

JDK Version Support Policy

JDK major versions are specified to ensure the use of correct version when the vendor provides multiple choices. Business Objects tests and supports any _x release installed with a given application server.

Support of WebSphere and WebLogic Editions

Network Editions of the Applications Server listed above are NOT supported. The Express Edition of WebSphere and WebLogic application servers are supported.

WebSphere 5.1.1.4 is not supported

Several issues have been found when applying the cf4 patchset for WebSphere 5.1.1. In consequence, BusinessObjects will not support this particular version of WebSphere. All other 5.1.1x versions are supported.

HTTP Servers

Any supported by Application Server vendor.

Portal Servers

- Oracle Portal Server 10g R2 (10.1.2) (JSR 168)
- WebLogic Portal 8.1 SP4 (JSR 168)
- **WebLogic Portal 9.2 (JSR 168)**
- WebSphere Portal 5.1.0.1 (JSR 168)

Portal Server minor release support policy

Specified portal servers versions have been successfully tested by Business Objects. Incremental releases of the specified versions defined by the last number in the portal server name will be supported as they are made available, but may not have been tested by Business Objects. Exceptions in support will be documented.

Supported Browsers

Browser OS	Browser	JVM
MacIntosh	Safari 1.3 (1)	Apple 1.4.2_xx
Windows	Firefox 1.0.4 (2)	Sun 1.4.2_xx
	IE 6.0 SP1	Sun 1.4.2_xx Sun 1.5.0_xx
	IE 6.0 SP2	Sun 1.4.2_xx Sun 1.5.0_xx

Browser OS	Browser	JVM
	IE 7.0	Sun 1.4.2_xx Sun 1.5.0_xx (1)

(1) Please note that this browser is NOT SUPPORTED for OLAP Intelligence, EPM products and Process Tracker.

(2) SVG is not supported (EPM)

Restriction for Crystal Reports Explorer

Please note that the Crystal Reports Explorer add-on leverages IE-specific components and will not work with any browsers other than IE.

SVG and Flash support for EPM

SVG version 3.0.3 and above supported for Internet Explorer.

Flash version 7 and above supported for Internet Explorer and Firefox.

CMS Database (Repository) & Audit Databases

Provider Name	Data Connector
IBM DB2/UDB for NT/Unix 8.1	DB2 Client 8.1
IBM DB2/UDB for NT/Unix 8.2	DB2 Client 8.2
IBM DB2/UDB for NT/Unix 9.1	DB2 Client 9.1
Oracle 10g R1 (10.1)	Oracle Net Client 10.1
Oracle 10g R2 (10.2)	Oracle Net Client 10.2
Oracle 9.2	Oracle Net Client 9.2
Sybase Adaptive Server Enterprise 12.5.2	Sybase Open Client 12.5.2
MySQL 4.1.13	MySQL C-API

Performance Management Repository Databases

Provider Name	Data Connector
IBM DB2/UDB for NT/Unix 8.1	DB2 Client 8.1
IBM DB2/UDB for NT/Unix 8.2	DB2 Client 8.2

Provider Name	Data Connector
IBM DB2/UDB for NT/Unix 9.1	DB2 Client 9.1
IBM DB2/UDB for zSeries 7	DB2 Client 8.1
IBM DB2/UDB for zSeries 8	DB2 Client 8.2
NCR Teradata V2R5	NCR Teradata ODBC 3.03
NCR Teradata V2R5.1	NCR Teradata ODBC 3.03
	NCR Teradata ODBC 3.04
NCR Teradata V2R6	NCR Teradata ODBC 3.04
Oracle 10g R1 (10.1)	Oracle Net Client 10.1
Oracle 10g R2 (10.2)	Oracle Net Client 10.2
Oracle 9.2	Oracle Net Client 9.2
Sybase Adaptive Server Enterprise 12.5	Sybase Open Client 12.5

Web Intelligence, Desktop Intelligence and Performance Management Data Sources

Provider Name	Data Connector	Unicode Support
OLAP		
SAP BW Server 3.0b SP33	SAP GUI 620 or 640 (1) (4)	
SAP BW Server 3.1c SP37	SAP GUI 620 or 640 (1) (4)	
SAP BW Server 3.5 SP19	SAP GUI 640 (1) (4)	
RDBMS		
IBM DB2/UDB for iSeries 5.2	DB2 Client 8.1	
	DB2 ODBC Client 8.1	
IBM DB2/UDB for iSeries 5.3	DB2 Client 8.2	
	DB2 ODBC Client 8.2	
IBM DB2/UDB for NT/Unix 8.1	DB2 Client 8.1	Yes
	DB2 ODBC Client 8.1	Yes
IBM DB2/UDB for NT/Unix 8.2	DB2 Client 8.2	Yes
	DB2 ODBC Client 8.2	Yes

Provider Name	Data Connector	Unicode Support
IBM DB2/UDB for NT/Unix 9.1	DB2 Client 9.1	Yes
	DB2 ODBC Client 9.1	Yes
IBM DB2/UDB for zSeries 7	DB2 Client 8.1 (1)	
	DB2 ODBC Client 8.1 (1)	
IBM DB2/UDB for zSeries 8	DB2 Client 8.2 (1)	
	DB2 ODBC Client 8.2 v	
IBM Informix Dynamic Server 10.0	IBM Informix ODBC SDK 2.90	
IBM Informix Dynamic Server 7.31	IBM Informix ODBC SDK 2.81	
IBM Informix Dynamic Server 9.4	IBM Informix ODBC SDK 2.81	
IBM Informix XPS 8.40	IBM Informix ODBC SDK 2.81	
IBM Informix XPS 8.50	IBM Informix ODBC SDK 2.90	
IBM Red Brick Decision Server 6.3	IBM Red Brick ODBC 5	
MS SQL Server 2000 SP4	DataDirect ODBC Driver v5.0 for MS SQL(3)	
MS SQL Server 2005	DataDirect ODBC Driver v5.1 for MS SQL(3)	Yes
MS SQL Server 7.0 SP4	DataDirect ODBC Driver v5.0 for MS SQL(3)	
MySQL 4.1.10a	MySQL ODBC connector 3.51.12	
MySQL 4.1.13	MySQL ODBC connector 3.51.12	
MySQL 5.0	MySQL ODBC connector 3.51.12	
NCR Teradata V2R5	NCR Teradata ODBC 3.03	
NCR Teradata V2R5.1	NCR Teradata ODBC 3.03	
	NCR Teradata ODBC 3.04	
NCR Teradata V2R6	NCR Teradata ODBC 3.04	
NCR Teradata V2R6.1	NCR Teradata ODBC 3.05	

Provider Name	Data Connector	Unicode Support
Netezza NPS Server 3.1	Netezza ODBC Driver 3.1 (1)	
Oracle 10g R1 (10.1)	Oracle Net Client 10.1	Yes
Oracle 10g R2 (10.2)	Oracle Net Client 10.2	Yes
Oracle 9.2	Oracle Net Client 9.2	Yes
Sybase ASE 12.5	Sybase Open Client 12.5	
Sybase ASE 15	Sybase Open Client 15 (1)	
Sybase Adaptive Server IQ 12.6	Sybase ODBC 9 for Adaptive Server IQ 12.6	
Sybase Adaptive Server IQ 12.7	Sybase ODBC 9 for Adaptive Server IQ 12.7 (2)	

(1) Not supported for Performance Management.

(2) Not supported on AIX 5.2

(3) DataDirect drivers for Desktop Intelligence, Performance Management and Web Intelligence are not provided by Business Objects.

(4) OLAP connectivity is NOT supported by Desktop Intelligence.

Supported Data Sources for Set Analysis

Provider Name	Data Connector
Oracle 9.2	Oracle Net Client 9.2*
Oracle 10g R1 (10.1)	Oracle Net Client 10.1*
Oracle 10g R2 (10.2)	Oracle Net Client 10.2*
MS SQL Server 7.0 SP4	Microsoft ODBC MDAC 2.7
	Microsoft OLEDB MDAC 2.7
MS SQL Server 2000 SP4	Microsoft ODBC MDAC 2.8
	Microsoft OLEDB MDAC 2.8
MS SQL Server 2005	Microsoft ODBC MDAC 2.8
	Microsoft ODBC SNAC (native client)
	Microsoft OLEDB MDAC 2.8
	Microsoft OLEDB SNAC (native client)
IBM DB2/UDB for NT/Unix/Linux 8.1	DB2 Client 8.1*
IBM DB2/UDB for NT/Unix/Linux 8.2	DB2 Client 8.1*
IBM DB2/UDB for NT/Unix/Linux 9.1	DB2 Client 9.1*

Provider Name	Data Connector
NCR Teradata V2R5	NCR Teradata ODBC 3.03
NCR Teradata V2R5.1	NCR Teradata ODBC 3.03
	NCR Teradata ODBC 3.04
NCR Teradata V2R6	NCR Teradata ODBC 3.04
Netezza NPS Server 2.5	NETEZZA ODBC 2.5
Netezza NPS Server 3.0	NETEZZA ODBC 3.0
Sybase Adaptive Server Enterprise 12.5	Sybase Open Client 12.5
Sybase Adaptive Server Enterprise 12.5.1	Sybase Open Client 12.5.1

* Please see release notes for Oracle and DB2 connectivity for this product.

Crystal Reports Reporting Data Sources

Provider Name	Data Connector	Unicode Support
OLAP		
Hyperion Essbase Server 6.5.4	Hyperion Essbase API 6.5 Patch 4	
Hyperion Essbase Server 7.0	Hyperion Essbase API 7.0	
Hyperion Essbase Server 7.1.x	Hyperion Essbase API 7.1.x	
IBM DB2 OLAP Server 8.1 FixPack 3	IBM DB2 OLAP API 8.1	
IBM DB2 OLAP Server 8.2	IBM DB2 OLAP API 8.2	
SAP BW Server 3.0b SP33	SAP GUI 620 or 640	
SAP BW Server 3.1c SP37	SAP GUI 620 or 640	
SAP BW Server 3.5 SP19	SAP GUI 640	
RDBMS		
Generic JDBC Data Sources	JDK 1.4	Yes
Generic ODBC Data Sources	ODBC	Yes
IBM DB2/UDB for iSeries 5.2	DB2 Client 8.1	Yes
	IBM iSeries Access (JDBC) 5.2	Yes
	DB2 ODBC Client 8.1	Yes
IBM DB2/UDB for iSeries 5.3	DB2 Client 8.2	Yes

Provider Name	Data Connector	Unicode Support
	IBM iSeries Access (JDBC) 5.3	Yes
	DB2 ODBC Client 8.2	Yes
IBM DB2/UDB for NT/Unix 8.1	DB2 Client 8.1	Yes
	DB2 JDBC 8.1	Yes
	DB2 ODBC Client 8.1	Yes
IBM DB2/UDB for NT/Unix 8.2	DB2 Client 8.2	Yes
	DB2 JDBC 8.2	Yes
	DB2 ODBC Client 8.2	Yes
IBM DB2/UDB for NT/Unix 9.1	DB2 Client 9.1	Yes
	DB2 JDBC 9.1	Yes
	DB2 ODBC Client 9.1	Yes
IBM DB2/UDB for zSeries 7	DB2 Client 8.1	Yes
	DB2 ODBC Client 8.1	Yes
IBM DB2/UDB for zSeries 8	DB2 Client 8.2	Yes
	DB2 ODBC Client 8.2	Yes
IBM Informix Dynamic Server 10.0	ODBC DataDirect 5.1(1)	Yes
IBM Informix Dynamic Server 9.4	ODBC DataDirect 5.1(1)	Yes
MS SQL Server 2000 SP4	JDBC SQL Server 2000	Yes
	ODBC DataDirect 5.1 for MS SQL(1)	Yes
MS SQL Server 2005	JDBC SQL Server 2005	Yes
	ODBC DataDirect 5.1 for MS SQL(1)	Yes
MS SQL Server 7.0 SP4	ODBC DataDirect 5.1 for MS SQL(1)	Yes
MySQL 4.1.10a	JDBC MySQL	Yes
MySQL 4.1.13	JDBC MySQL	Yes
NCR Teradata V2R5	NCR Teradata ODBC 3.03	Yes

Provider Name	Data Connector	Unicode Support
NCR Teradata V2R5.1	NCR Teradata ODBC 3.03	Yes
NCR Teradata V2R6	NCR Teradata JDBC V2R6	Yes
	NCR Teradata ODBC 3.04	Yes
Oracle 10g R1 (10.1)	JDBC Oracle 10.1	Yes
	ODBC DataDirect 5.1(1)	Yes
	Oracle Net Client 10.1	Yes
Oracle 10g R2 (10.2)	JDBC Oracle 10.2	Yes
	ODBC DataDirect 5.1(1)	Yes
	Oracle Net Client 10.2	Yes
Oracle 9.2	JDBC Oracle 9.2	Yes
	ODBC DataDirect 5.1(1)	Yes
	Oracle Net Client 9.2	Yes
Sybase ASE 12.5	JDBC Sybase 12.5	Yes
	ODBC DataDirect 5.1(1)	Yes
	Sybase Open Client 12.5	
Technology		
Java Bean	JDK 1.4	Yes
XML	JDK 1.4	Yes
Crystal Reports Reporting Data Sources Supported for Scheduling Only		
Text	ODBC DataDirect 5.1(1)	

(1) DataDirect drivers for Crystal Reports are available from Business Objects on the [Download Center](#).

Generic ODBC, OLEDB and JDBC: Limitation

(Supported for Crystal Reports Only)

Database server, client and ODBC/JDBC/OLEDB driver used must support multiple threads.

Generic JDBC: 3rd Party JDBC Type 4-compliant drivers may potentially have issues as not all combinations have been tested, but are supported for *relational database access* as a general rule.

Generic ODBC: 3rd Party ODBC Level 2-compliant Drivers may potentially have issues as not all combinations have been tested yet, but are supported as a general rule.

Scheduled and On-demand Reporting

'Scheduling Only' indicates that the data connectivity is assumed to be single-threaded. Customers are recommended to use these with scheduled Crystal Reports instances, as concurrent on-demand reports will be handled serially.

Other connectivity are assumed to be multi-threaded and suitable to be used for both scheduled and on-demand Crystal Report instances as concurrent on-demand reports will be handled in parallel.

OLAP Connectivity for OLAP Intelligence

Provider Name	Data Connector
Hyperion Essbase Server 6.5.4	Hyperion Essbase API 6.5 Patch 4
Hyperion Essbase Server 7.0	Hyperion Essbase API 7.0
Hyperion Essbase Server 7.1.x	Hyperion Essbase API 7.1.x
IBM DB2 OLAP Server 8.1 Fix Pack 3	IBM DB2 OLAP API 8.1
IBM DB2 OLAP Server 8.2	IBM DB2 OLAP API 8.2
SAP BI 7 SP10	SAP GUI 640 (1)
SAP BW Server 3.0b SP33	SAP GUI 620 or 640
SAP BW Server 3.1c SP27	SAP GUI 620 or 640
SAP BW Server 3.5 SP19	SAP GUI 640

(1) Not supported for OLAP Intelligence.

Support of SAP BW Server

BusinessObjects XI Release 2 Integration Kit for SAP MUST be installed in order to use SAP BW Server as a data source. The exact levels required for SAP BW servers and API are specified in the platforms.txt for BusinessObjects XI R2 Integration Kit for SAP.

LDAP Directory

- IBM Tivoli Directory Server 5.1

- IBM Tivoli Directory Server 5.2
- Lotus Domino Directory 6.0.2
- Lotus Domino Directory 6.5.3
- Novell eDirectory 8.7.3
- Oracle Internet Directory 10gR2 (10.1.2)
- Sun Java System Directory Server 5.1
- Sun Java System Directory Server 5.2

Access Management

- eTrust (Netegrity) SiteMinder 5.5
- eTrust (Netegrity) SiteMinder 6.0

File Transfer Protocol (FTP) Requirements

The following are the guidelines that must be supported by any FTP Server being used in conjunction with BusinessObjects Enterprise as a scheduling destination.

- FTP server needs to support using “./” as a directory
- FTP server needs to support specifying a directory with a trailing “/”
- FTP server needs to support filenames that are 20+ characters (if destination file names are generated randomly by BusinessObjects Enterprise.)
- FTP server needs to support specifying file names starting with a “~” character (if destination file names are generated randomly by BusinessObjects Enterprise.)

Finding More Information

For more information and resources, refer to the product documentation and visit the support area of the web site at:

<http://www.businessobjects.com>

► www.businessobjects.com

No part of the computer software or this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without permission in writing from Business Objects.

The information in this document is subject to change without notice. Business Objects does not warrant that this document is error free.

This software and documentation is commercial computer software under Federal Acquisition regulations, and is provided only under the Restricted Rights of the Federal Acquisition Regulations applicable to commercial computer software provided at private expense. The use, duplication, or disclosure by the U.S. Government is subject to restrictions set forth in subdivision (c) (1) (ii) of the Rights in Technical Data and Computer Software clause at 252.227-7013.

The Business Objects product and technology are protected by US patent numbers 5,555,403; 6,247,008; 6,578,027; 6,490,593; and 6,289,352. The Business Objects logo, the Business Objects tagline, BusinessObjects, BusinessObjects Broadcast Agent, BusinessQuery, Crystal Analysis, Crystal Analysis Holos, Crystal Applications, Crystal Enterprise, Crystal Info, Crystal Reports, Rapid Mart, and WebIntelligence are trademarks or registered trademarks of Business Objects SA in the United States and/or other countries. Various product and service names referenced herein may be trademarks of Business Objects SA. All other company, product, or brand names mentioned herein, may be the trademarks of their respective owners. Specifications subject to change without notice. Not responsible for errors or omissions.

Copyright © 2007 Business Objects SA. All rights reserved.